

U.S. Department of Homeland Security United States Coast Guard

LOCAL NOTICE TO MARINERS

District: 11

Week: 09/23

CORRESPONDENCE TO: COMMANDER DISTRICT ELEVEN (DPW) COAST GUARD ISLAND BUILDING 50-2 ALAMEDA, CA 94501-5100

REFERENCES: COMDTPUB P16502.6, Light List Volume VI, 2017 Edition, U.S. Chart No.1 12th Edition, and Coast Pilot Volume 7 49th Edition. These publications, along with corrections, are available at: https://nauticalcharts.noaa.gov/

BROADCAST NOTICE TO MARINERS - Information concerning aids to navigation and waterway management promulgated through BNM HB-0006-23, SF-0047-23, LA-0025-23, and SD-0011-23 have been incorporated in this notice, or will continue if still significant.

I through O

ABBREVIATIONS

A through H ADRIFT - Buoy Adrift AICW - Atlantic Intracoastal Waterway Al - Alternating B - Buoy **BKW** - Breakwater bl - Blast BNM - Broadcast Notice to Mariner bu - Blue C - Canadian CHAN - Channel CGD - Coast Guard District C/O - Cut Off CONT - Contour CRK - Creek CONST - Construction DAYMK/Daymk - Daymark DBN/Dbn - Daybeacon DBD/DAYBD - Dayboard DEFAC - Defaced **DEST** - Destroyed DISCON - Discontinued DMGD/DAMGD - Damaged ec - eclipse EST - Established Aid ev - every EVAL - Evaluation EXT - Extinguished F - Fixed fl - flash FI - Flashing G - Green GIWW - Gulf Intracoastal Waterway HAZ - Hazard to Navigation HBR - Harbor HOR - Horizontal Clearance

I - Interrupted ICW - Intracoastal Waterway IMCH - Improper Characteristic INL - Inlet INOP - Not Operating INT - Intensity ISL - Islet Iso - Isophase KHz - Kilohertz LAT - Latitude LB - Lighted Buoy LBB - Lighted Bell Buoy LBB - Lighted Horn Buoy LGB - Lighted Gong Buoy LONG - Longitude LNM - Local Notice to Mariners LT - Light LT CONT - Light Continuous LTR - Letter LWB - Lighted Whistle Buoy LWP - Left Watching Properly MHz - Megahertz MISS/MSNG - Missing Mo - Morse Code MRASS - Marine Radio Activated Sound Signal MSLD - Misleading N/C - Not Charted NGA - National Geospatial-Intelligence Agency NO/NUM - Number NOS - National Ocean Service NW - Notice Writer OBSCU - Obscured OBST - Obstruction

<u>P through Z</u>

Additional Abbreviations Specific to this LNM Edition: None

SECTION I - SPECIAL NOTICES This section contains information of special concern to the Mariner.

HT - Height

SUBMITTING INFORMATION FOR PUBLICATION IN THE LOCAL NOTICE TO MARINERS

A complete set of guidelines with examples and contact information can be found at http://www.pacificarea.uscg.mil/Our-Organization/District-11/Prevention-Division/LnmRequest/ or call Waterways Management Branch at 510-437-2929 or e-mail D11-SMB-D11-LNM@uscg.mil. Please provide all Local Notice to Mariners submissions 14 days prior to the start of operations

LNM: 17/21

BRIDGE INFORMATION- PROJECTS, DISCREPANCIES, CORRECTIONS & REGULATORY

For all bridge related issues, including lighting, operation, obstructions, construction, demolition, etc. contact the Eleventh Coast Guard District Bridge Administrator 24 hour cell phone at 510-219-4366. Flotsam may accumulate on and near bridge piers and abutments. Mariners should approach all bridges with caution. A vessel delay at a drawbridge may be reported to the District Bridge Administrator by telephone, or by using the Delay_Report_11-2017.pdf included in the Enclosures section of this Local Notice to Mariners.

BRIDGE INFORMATION-COMMUNICATIONS PROTOCOL-BENICIA/MARTINEZ UPRR BRIDGE- CARQUINEZ STRAIT

All mariners requiring a bridge lift at the Benicia-Martinez Union Pacific Railroad Bridge, mile 7.0, over the Carquinez Strait, California, should follow the protocol in the document entitled "Coordination of Communications for Union Pacific Railroad Lift Operations." Mariners can download a copy of the document by selecting the link BENICIA-MARTINEZ RR BRIDGE under the QUICK LINKS section at https://www.pacificarea.uscg.mil/vtssf.

CAUTION TO BE USED IN RELIANCE UPON AIDS TO NAVIGATION

The aids to navigation depicted on charts comprise a system of fixed and floating aids to navigation with varying degrees of reliability. Prudent mariners will not rely solely on any single aid to navigation, particularly a floating aid to navigation. With respect to buoys, the buoy symbol is used to indicate the approximate position of the buoy body and the sinker which secures the buoy to the seabed. The approximate position is used because of the practical limitations in positioning and maintaining buoys and their sinkers in precise geographical locations. These limitations include, but are not limited to, inherent imprecision in position fixing methods, prevailing atmospheric and sea conditions, slope of and the material making up the seabed, the fact that buoys are moored to sinkers by varying length of chain, and the fact that the buoy body and/or sinker positions are not under continuous surveillance, but are normally checked only during periodic maintenance visits which often occur more than a year apart. Due to the forces of nature, the position of the buoy body can be expected to shift inside and outside the charted symbol. The mariner is also cautioned that buoys may be extinguished or sound signals may not function as the result of natural causes, collisions, or other accidents. For the foregoing reasons, a prudent mariner must not rely completely upon the position or operation of floating aids to navigation, but will also utilize bearings from fixed objects and aids to navigation on shore. Furthermore, a vessel attempting to pass close aboard always risks collision with a yawing buoy or with the obstruction that the buoy marks.

NAVIGATION CENTER WEBSITE TRANSITION

The U.S. Coast Guard Navigation Center is going to transition the Navigation Center website to a new, enhanced version in the first quarter of 2022. As part of this transition, URLs will be updated across the site including URLs linked to PDFs. Therefore, once the transition is complete, legacy site URLS will no longer function, including bookmarked URLs and URLs used in automatic downloading of data and/or products. Outdated URLs will automatically redirect to the home page of the site, and from there you will be able to easily navigate to your preferred page.

Below are a few of the "old"/new URL pairs listed for your convenience. Please note that the new URLs will not be active until we launch the new website. Of course, once it is launched, the new URLs will be available for re-bookmarking. As a reminder, these are top level URLs that may contain additional links that you use.

This notice will be updated when the final launch date is determined and another notice will be issued to notify you when the site goes live. Questions/concerns may be directed to the NAVCENWebTEAM@uscg.mil.

Local Notices to Mariners (LNMs) Current URLs: https://www.navcen.uscg.gov/?pageName=InmMain Replacement: https://www.navcen.uscg.gov/local-notices-to-mariners-by-cg-district

Light Lists Annual Publication Current URLs: https://navcen.uscg.gov/?pageName=lightLists Replacement: https://www.navcen.uscg.gov/light-list-annual-publication

Light List - Weekly Current URLs: https://navcen.uscg.gov/?pageName=lightListWeeklyUpdates Replacement: https://www.navcen.uscg.gov/weekly-light-lists

Light List - Corrections Current URLs: https://navcen.uscg.gov/?pageName=lightListCorrections Replacement: https://www.navcen.uscg.gov/light-list-summary-of-corrections

LNM: 06/22

NORTHERN CALIFORNIA-RICHMOND HARBOR ENTRANCE CHANNEL-HAZARD TO NAVIGATION

The Coast Guard has received a report of an unmarked barge mooring in the Richmond Harbor Entrance Channel at 37-54-06N 122-23-56W. Mariners are requested to transit the area with caution. For more details or comments contact U.S. Coast Guard Sector Waterways at 415-399-7442.

NORTHERN CALIFORNIA-SAN FRANCISCO-MILE ROCKS LIGHT-REDUCED NOMINAL RANGE Mile Rocks Light (LLNR 365) will have a temporarily reduced intensity of 5nm until further notice. Mariners are requested to transit the area with caution. For more details or comments contact LT Miranda Brumbaugh at 510-437-2978 or Miranda.E.Brumbaugh@uscg.mil. LNM: 16/19 18007 18010 18020 18022 18640 18649 18680 Charts:

SAFETY NOTICE - NAVIGATIONAL RANGE AND SECTOR LIGHTS ON ELECTRONIC CHARTS "The U.S. Coast Guard has become aware that the Range and Sector Light Characteristic labels are not displayed on Electronic Navigational

SOUTHERN CALIFORNIA-SAN DIEGO BAY-MINIMIZE WAKE

Charts (ENCs) when used in an Electronic Chart Display and Information System (ECDIS) due to limitations of the S-52 ECDIS display specification. Mariners may guery the ENC data directly within ECDIS or refer to the Light List for complete information on Range and Sector Light Characteristics.' LNM: 39/22

The Navy Port Operations Manager requests that vessels slow to 7 kts when a vessel is moored in restricted area (33 CFR 334.865) located on the northeast side of North Island at 32-42-57N 117-11-22W, between San Diego Channel Lighted Buoy 20 (LLNR 1710) and San Diego Channel Lighted Buoy 22 (LLNR 1830). For more details or comments contact LT Rodriguez at 619-545-3232, Rigoberto.rodriguez3@navy.mil. Chart LNM: 10/22 18773

Coast Guard District Eleven Waterways upgrade to E-Mail capabilities. All future requests for article submission in the District Eleven Local Notice to Mariners are requested to be E-Mailed to D11-SMB-SMB-D11-LNM@uscq.mil at least two weeks prior to the operation. For more details or comments please contact District Eleven Waterways Management Branch at 510-437-2929 or e-mail D11-SMB-D11-LNM@uscg.mil. Coast Guard District Eleven requests all Local Notice to Mariners submissions be E-Mailed to our office at least 14 days prior to the start of operations for timely submittal and publication.

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
5	Point Loma Light	SS IMCH	18773	SD-0001-23	04/23	
10	San Diego Bay Approach Lighted Whistle Buoy SD	RAC INOP	18772	SD-0070-22	38/22	
125	Long Beach Light	LT EXT	18751	LA-0148-20	49/20	
240	Morro Bay West Breakwater Light	LT EXT/SS INOP	18703	LA-0010-23	04/23	
360	San Francisco Approach Lighted Whistle Buoy SF	RAC INOP	18649	SF-0040-22	17/22	
365	Mile Rocks Light	LT EXT	18649	SF-0099-22	44/22	
385	Point Reyes Light	LT EXT	18640	SF-0025-23	04/23	
450	Point Cabrillo Light	REDUCED INT	18620	HB-0006-23	05/23	
545	Crescent City Harbor Lighted Whistle Buoy 2	LT EXT	18603	HB-0013-22	51/22	
1485	San Diego Bay Approach Lighted Whistle Buoy SD	RAC INOP	18772	SD-0070-22	38/22	
1493	San Diego Bay Approach Lighted Bell Buoy 4	LT IMCH	18772	SD-0074-22	41/22	
2295	Oceanside Breakwater Light 1	REDUCED INT	18758	SD-0080-22	44/22	
2635	Ship Rock Light	LT EXT	18757	LA-0095-21	26/21	
2641	Isthmus Cove Harbor Reefs Light	STRUCT DMGD	18757	LA-0018-21	05/21	
2670	Santa Catalina Island West End Light	LT EXT	18757	LA-0113-19	34/19	

Charts: 18649 18653

DISCREPANCIES (FEDERAL AIDS)

SUBMITTING INFORMATION FOR PUBLICATION IN THE LOCAL NOTICE TO MARINERS

LNM: 41/22

LNM: 17/21

2810	Anaheim Bay Channel Buoy 7	OFF STA	18749	LA-0062-22	30/22
3012	Long Beach Light	LT EXT	18751	LA-0148-20	49/20
3016	Long Beach Approach Channel Range Front Light			LA-0025-23	09/23
3117	Los Angeles Main Channel Lighted Buoy 11	REDUCED INT	18751	LA-0105-21	28/21
3132	Terminal Island Channel Lighted Buoy 1	STRUCT DMGD	18751	LA-0027-22	16/22
3330	Redondo Beach West Jetty Light 3	STRUCT DEST	18744	LA-0021-23	09/23
3625	Port Hueneme Channel Lighted Buoy 6	SINKING	18725	LA-0091-22	39/22
3770	Santa Barbara Harbor Lighted	OFF STA	18725	LA-0022-23	09/23
3772	Buoy 5 Santa Barbara Harbor Lighted Buoy 6	MISSING	18725	LA-0005-23	02/23
3790	Santa Barbara Harbor Lighted Buoy 10	OFF STA	18725	LA-0017-23	05/23
3792	Santa Barbara Harbor Lighted Buoy 12	OFF STA	18725	LA-0016-23	05/23
3835	Morro Bay West Breakwater Light	LT EXT/SS INOP	18703	LA-0010-23	04/23
3845	Morro Bay Channel Lighted Buoy 2	OFF STA	18703	LA-0013-23	04/23
3970	Monterey Harbor Light 6	SS INOP	18685	SF-0064-20	27/20
4130	Pillar Point Harbor Entrance Lighted Gong Buoy 1	SS INOP	18680	SF-0040-23	06/23
4135	Pillar Point Harbor Entrance Lighted Buoy 2	OFF STA/LT EXT	18680	SF-0041-23	07/23
4140	Pillar Point Harbor Entrance Lighted Bell Buoy 3	LT EXT	18680	SF-0022-23	03/23
4155	Colorado Reef Lighted Buoy 26	OFF STA	18640	SF-0163-21	51/21
4165	San Francisco Main Ship Channel Lighted Whistle Buoy 2	LT EXT	18649	SF-0006-23	02/23
4245	Mile Rocks Light	LT EXT	18649	SF-0099-22	44/22
4625	Oakland Outer Harbor Range A Rear Light	LT EXT	18650	SF-0092-22	42/22
4680	Oakland Inner Harbor Light 10	MISSING/TRLB	18650	SF-0052-21	02/22
4684	Oakland Inner Harbor Turn Basin Light B	STRUCT DMGD/TRLB	18650	SF-0097-21	29/21
4740	San Leandro Bay Airport Channel Daybeacon 6	STRUCT DEST/TRUB	18650	SF-0033-22	15/22
4830	San Leandro Marina Channel Light 1	LT EXT/SS INOP		SF-0012-23	02/23
5215	Redwood Creek Light 10	LT EXT		SF-0047-23	09/23
5430	Berkeley Marina Channel Light 2	LT EXT	18650	SF-0086-22	40/22
5485	San Francisco Bay North Channel Lighted Buoy 8	OFF STA	18653	SF-0016-23	03/23
5495	San Francisco Bay North Preferred Channel Lighted Buoy B	OFF STA	18653	SF-0033-23	05/23
5640	Southampton Shoal Channel Lighted Buoy 1	LT EXT	18653	SF-0014-23	02/23
5657	Southampton Shoal Channel Lighted Buoy 5	REDUCED INT	18649	SF-0038-23	06/23
5725	Richmond Harbor Channel Light 9	MISSING/TRLB	18649	SF-0098-22	43/22
5820	San Francisco Bay North Channel Lighted Bell Buoy 18	LT EXT	18649	SF-0101-22	44/22
5890	San Pablo Bay Preferred Channel Lighted Buoy E	OFF STA	18654	SF-0031-23	05/23
6095	Mare Island Strait Light 2	STRUCT DMGD/TRLB	18655	SF-0152-20	49/20
6240	Carquinez Strait Light 23	LT EXT	18656	SF-0008-23	02/23
6310	Suisun Bay Channel Buoy 3	OFF STA	18656	SF-0116-21	36/21
6433	Point Edith Crossing Range Front Light	STRUCT DEST/TRLB	18658	SF-0067-22	32/22
6505	Suisun Bay Channel Lighted Buoy 17	OFF STA	18658	SF-0128-21	02/22
6510	Suisun Bay Channel Lighted Buoy 19	LT EXT	18658	SF-0005-23	02/23
6685	San Joaquin River Light 8	STRUCT DMGD/TRLB	18656	SF-0109-21	02/22
6855	San Joaquin River Light 46	STRUCT DEST/TRLB	18661	SF-0057-22	28/22

7210	Sacramento River Deep Water Ship Channel Light 10	MISSING/TRLB	18656	SF-0101-21	32/21
7210	Sacramento River Deep Water Ship Channel Light 10	SINKING	18656	SF-0105-22	44/22
7235	Sacramento River Deep Water Ship Channel Light 15	MISSING/TRLB	18661	SF-0100-20	35/20
7240	Sacramento River Deep Water Ship Channel Light 16	STRUCT DEST/TRLB	18661	SF-0127-18	34/18
7255	Sacramento River Deep Water Ship Channel Light 19	LT EXT	18661	SF-0045-23	07/23
7260	Sacramento River Deep Water Ship Channel Light 20	MISSING/TRLB	18661	SF-0108-21	05/23
7485	Sacramento River Deep Water Ship Channel Light 62	REDUCED INT	18662	SF-0045-23	07/23
7810	Bodega Harbor Channel Light 6	STRUCT DMGD/TRLB		SF-0028-21	08/23
7815	Bodega Harbor Channel Daybeacon 7	STRUCT DEST/TRUB		SF-0046-23	08/23
8085	Noyo River Entrance Lighted Bell Buoy 2	OFF STA	18620	HB-0005-23	05/23
8360	Crescent City Harbor Lighted Whistle Buoy 2	LT EXT	18603	HB-0013-22	51/22
8475	Emerald Bay Entrance Buoy 4	OFF STA		SF-0037-23	06/23
8485	Lake Tahoe Lighted Danger Buoy Q	OFF STA		SF-0102-22	44/22

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End

None

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
20	Ocean Beach Pier Fog Sound Signal	SS INOP	18765	SD-0002-19	05/19	
158	Scripps Waverider Lighted Research Buoy 092	OFF STA	18746		45/18	
505	Scripps Waverider Lighted Research Buoy 168	LT EXT	18620	HB-0003-22	14/22	
1665	Americas Cup Harbor Daybeacon 2	STRUCT DEST/TRUB	18773	SD-0001-22	02/22	
2056	Sweetwater Channel Light 6	STRUCT DEST	18773	SD-0087-22	47/22	
2070	Coronado Cays Channel Daybeacon 3	STRUCT DEST	18773	SD-0098-17	36/17	
2090	Coronado Cays Channel Light 7	STRUCT DEST/TRUB	18773	SD-0046-22	31/22	
2288	Scripps Waverider Lighted Research Buoy 220	OFF STA	18765	SD-0041-20	30/20	
2289.1	Scripps Waverider Lighted Research Buoy 100	OFF STA	18765		22/20	
2289.4	Scripps "CORDC" Lighted Research Buoy	MISSING	18765		22/20	
2764.4	Catalina Sea Ranch SE Buoy	MISSING	18746	LA-0001-22	03/22	
2871	Long Beach Harbor Brusco Lighted Mooring Buoy	LT EXT	18751	LA-0009-21	03/21	
3339.2	REDONDO HARBOR LIGHT	LT EXT	18744	LA-0181-18	52/18	
3400	El Segundo NRG Energy Buoy 6ES	SINKING	18744	LA-0153-21	39/21	
3420	Hyperion Lighted Gong Buoy 10 ES	LT EXT	18744		16/20	
3972.1	Monterey Harbor Junction Lighted Buoy A	Status Unreported	18685	SF-0039-23	06/23	
4401	Richardson Bay Daybeacon 8	DAYMK DMGD	18653		15/20	
4402	Richardson Bay Daybeacon 9	STRUCT DMGD	18649	SF-0086-18	23/18	
4420	San Francisco-Oakland Bay Bridge Pier A Fog Signal	SS INOP	18650	SF-0034-23	06/23	
4425	San Francisco-Oakland Bay Bridge Pier B Fog Signal	SS INOP	18650	SF-0034-23	06/23	
4435	San Francisco-Oakland Bay Bridge Pier C East Side Fog Signal	SS INOP	18650	SF-0034-23	06/23	

			SS INOP	10650	CE 0024 22	06/22	
	4445	San Francisco-Oakland Bay Bridge Pier	33 1101	18650	SF-0034-23	06/23	
	4460	D Fog Signal San Francisco-Oakland Bay Bridge Pier	SS INOP	18650	SF-0034-23	06/23	
	4576	E Fog Signal South Beach Harbor North Entrance	LT EXT	18650	SF-0047-21		
		Light 2				11/21	
	4577	South Beach Harbor North Entrance Light 1	LT EXT	18650	SF-0046-21	10/21	
	4578	South Beach Harbor South Entrance Light 1	LT EXT	18650	SF-0091-20	33/20	
	4826	Bay Farm Island Light 1	LT EXT	18650	SF-0014-19	05/19	
	4826.15	Bay Farm Island Light 3	LT EXT	18650	SF-0014-19	04/19	
	4826.2	Bay Farm Island Light 4	LT EXT	18650	SF-0136-21	44/21	
	4827.1	Anchorage 9 Lighted Mooring Buoy A	LT EXT	18650	SF-0012-20	04/20	
	4828.1	Anchorage 9 Lighted Mooring Buoy B	LT EXT	18650	SF-0013-20	04/20	
	5661	Southampton Shoal Outfall Lighted	LT EXT/RAC INOP	18653	SF-0026-19	07/19	
	5661	Buoy 1 Southampton Shoal Outfall Lighted Buoy 1	MISSING/TRLB	18653	SF-0029-20	18/21	
	5661	Southampton Shoal Outfall Lighted Buoy 1	STRUCT DMGD	18653	SF-0126-22	52/22	
	5662	Southampton Shoal Outfall Lighted Buoy 2	LT EXT	18653	SF-0059-21	14/21	
	5877.2	San Rafael Rock Quarry Mooring Buoy C	MISSING	18653		36/18	
	6623	New York Slough Koch West Light	LT IMCH			39/18	
	6624	New York Slough Koch East Light	LT EXT			39/18	
	6645.5	Delta Diablo Outfall Lighted Buoy	LT EXT		SF-0005-22	02/22	
				10000		20/24	
	8325	Pacific Gas and Electric Dike Light	LT EXT	18622	HB-0009-21	20/21	
DISCR	8591.1	Lake Tahoe NASA-JPL Lighted Research Buoy TB2	LT EXT Status Unreported	18622	HB-0009-21	20/21 37/22	
DISCR	8591.1	Lake Tahoe NASA-JPL Lighted Research		18622 Chart No.	HB-0009-21 BNM Ref.		LNM End
	8591.1 REPANCIES (F	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED	Status Unreported			37/22	LNM End
None	8591.1 Repancies (F Llnr	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name	Status Unreported			37/22	LNM End
lone	8591.1 REPANCIES (F LLNR FORM DISCR	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name	Status Unreported			37/22 LNM St	LNM End
None PLAT <u>Nar</u>	8591.1 REPANCIES (F LLNR FORM DISCR	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name	Status Unreported	Chart No.	BNM Ref.	37/22 LNM St	
None PLAT <u>Nam</u> None	8591.1 REPANCIES (F LLNR FORM DISCR	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES Status	Status Unreported	Chart No. Position	BNM Ref.	37/22 LNM St	LNM End
lone PLAT <u>Nam</u> None	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES	Status Unreported	Chart No.	BNM Ref.	37/22 LNM St	
None PLAT <u>Nam</u> None PLAT <u>Nam</u>	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES Status	Status Unreported	Chart No. Position	BNM Ref.	37/22 LNM St	LNM End
None PLAT None PLAT None None	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR Section contain	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES EPANCIES Status EPANCIES CORRECTED Status SECTION III - TEMPORARY CHAN is temporary changes and corrections to Aid ng, testing, evaluation, or marking an obstrue	Status Unreported Status Status GES and TEMPOF s to Navigation for this e	Chart No. Position Position RARY CHANGES (edition. When charted a	BNM Ref. BNM Ref. BNM Ref.	37/22 LNM St LNM St LNM St	LNM End
None PLAT Nam None PLAT Nam None	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR Section contain	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES EPANCIES Status EPANCIES CORRECTED Status ECTION III - TEMPORARY CHAN is temporary changes and corrections to Aid ng, testing, evaluation, or marking an obstru- new	Status Unreported Status Status GES and TEMPOF s to Navigation for this e action, a temporary corre	Chart No. Position Position RARY CHANGES (edition. When charted a	BNM Ref. BNM Ref. BNM Ref.	37/22 LNM St LNM St LNM St	LNM End
None PLAT Nam None PLAT Nam None	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR ne Section contain ated for dredgin	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES EPANCIES Status EPANCIES CORRECTED Status ECTION III - TEMPORARY CHAN is temporary changes and corrections to Aid ng, testing, evaluation, or marking an obstru- new	Status Unreported Status Status GES and TEMPOF s to Navigation for this e action, a temporary corre	Chart No. Position Position RARY CHANGES (edition. When charted a ection shall be listed in s Chart No.	BNM Ref. BNM Ref. BNM Ref.	37/22 LNM St LNM St LNM St	LNM End
None PLAT Nam None PLAT Nam None	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR ne Section contain ted for dredgin RARY CHANG	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES EPANCIES Status EPANCIES CORRECTED Status EECTION III - TEMPORARY CHAN Is temporary changes and corrections to Aid ng, testing, evaluation, or marking an obstru- new EES	Status Unreported Status Status GES and TEMPOF s to Navigation for this e iction, a temporary corre- position.	Chart No. Position Position RARY CHANGES (edition. When charted a ection shall be listed in S Chart No.	BNM Ref. BNM Ref. BNM Ref. BNM Ref.	37/22 LNM St LNM St LNM St	LNM End
None PLAT Nam None PLAT Nam None This s reloca	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR ne Section contain sted for dredgin RARY CHANG LLNR 280	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES EPANCIES Status EPANCIES CORRECTED Status EECTION III - TEMPORARY CHAN s temporary changes and corrections to Aid ng, testing, evaluation, or marking an obstru new EES Aid Name	Status Unreported Status GES and TEMPOF s to Navigation for this e iction, a temporary corre- position. Status	Chart No. Position Position RARY CHANGES (edition. When charted a ection shall be listed in S Chart No.	BNM Ref. BNM Ref. BNM Ref. CORRECTEL aids are tempora Section IV giving BNM Ref.	37/22 LNM St LNM St LNM St	LNM End
None PLAT Nam None PLAT Nam None This s reloca	8591.1 REPANCIES (F LLNR FORM DISCR ne FORM DISCR ne Section contain sted for dredgin RARY CHANG LLNR 280	Lake Tahoe NASA-JPL Lighted Research Buoy TB2 PRIVATE AIDS) CORRECTED Aid Name EPANCIES EPANCIES Status EPANCIES CORRECTED Status EECTION III - TEMPORARY CHAN s temporary changes and corrections to Aid ng, testing, evaluation, or marking an obstru- new EES Aid Name Point Sur Light	Status Unreported Status GES and TEMPOF s to Navigation for this e iction, a temporary corre- position. Status	Chart No. Position Position RARY CHANGES (edition. When charted a ection shall be listed in S Chart No.	BNM Ref. BNM Ref. BNM Ref. CORRECTEL aids are tempora Section IV giving BNM Ref.	37/22 LNM St LNM St LNM St	LNM End

LNM St

LNM End

BNM Ref.

Position

PLATFORM TEMPORARY CHANGES

Status

Name

None										
PLATFORM TE		NGES CORREC	ſED							
Name			Status			Position		BNM Ref.	LNM St	LNM End
None								2		
		:	SECTION IV -	CHART	CORRECTI	ONS				
None										
This sectio	n contains advanc	ce notice of appro Mar	SECTION V oved projects, char iners are advised t	nges to aids	to navigation,	or upcom	ing tempora areas.	ry changes su	ch as dredg	ing, etc.
			SUMMARY OF							
Approved Proj None	ject(s)						Ē	Project Date	<u>Ref. L</u>	<u>NM</u>
Advance Notic	co(c)									
		ORNIA-SAN FRA	NCISCO-SAN BR	NO SHO	AL CHANNEL	1 T 1				
The U.S. Co This device for the Ato	oast Guard is plan will allow the ma N (83A). Please di	ning to install a N riner to activate f irect questions, co	Mariner Radio Activ the installed sound comments, or conce	vated Sound I signal by k	d Signal (MRAS keying on a VH	S) device (F-FM radio	microphone	e six times at t	he designat	ed frequency
Chart	Brumbaugh@uscg 18654	,						LNM:	08/23	
established l	have changed. W	/hen changes occ bved, proposed pr off	stem of aids to nav ur, the feasibility c ojects open for cc ice unless otherwi	of improving omment. Si ise noted (s	g, relocating, re PECIAL NOTE: ee banner pag	eplacing, or Mariners a e for addre	r discontinui are requested ess).	ng aids are co	nsidered. T	his section
		PROPOS	ED WATERWAY	PROJECT	S OPEN FOR	PUBLIC C	OMMENT			
Proposed Proj	ect(s)					<u>Clo</u>	sing	Docket No.	Ref. L	<u>NM</u>
None										
C The U.S. C signals and of this equ Notice to N San Francis	coast Guard will be d that they are no ipment, it will be dariners and publi sco Approach Ligh	e removing the RA longer considere coordinated with shed in the Local nted Whistle Buoy	D SAN DIEGO-RE ACONs from aids to d necessary for sa servicing and disc Notice to Mariners	o navigatior fe navigatic repancy res s as Chart a 7-44-59.76	n located along on of the water ponses. The re and Light List of 1N 122-41-33.	the Califo ways. Whi moval of t prrections.	rnia Coast d le there is n he RACONs	ue to the cons o specific time will be annour	line for the nced by Broa	removal
Los Angele Long Beac	es Approach Chani h Channel Approa	nel Lighted Whist ch Lighted Whist	37-50-17.661N 12 le Buoy 3 (LLNR 3 e Buoy LB (LLNR 3 y SD (LLNR 10): 3	107): 33-41 3010): 33-4	-16.012N 118- 1-24.013N 118	8-11-01.05				
LNM@uscg	.mil. Any discrepa	ancy for these or	to the Coast Guard other Aids to Navig 18649 18650	gation shou	ld continue to	be reporte	d to the clos		Guard Secto	or.
						10/03	10772		,	
The U.S. C approximation	Coast Guard is prop te position: 36-36	posing to perman -30N 121-53-22V	REY-MONTEREN ently discontinue t /. Direct any quest umbaugh@uscg.m	the sound s tions comm	ignal on Monte	erey Harbo ck no later	r Light 6 (LL [.] than 07 Oc	NR 3970). The tober, 2022 to	e current aic LT Miranda	l is in the
Charts:	18680 18685							LNM: 28	/22	

437-3515.

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

2021 Light Lists are available on the USCG Navigation Center's website at: http://www.navcen.uscg.gov/?pageName=lightLists. Coast Guard Light Lists are a means for communicating aids to navigation information to the maritime public. Local Notice to Mariners will continue to advise Light List corrections and NAVCEN will continue to publish a compilation of corrections. Complete versions of the 2021 Light Lists are updated weekly on the NAVCEN website and mariners should download applicable copies and updates as needed at:

http://www.navcen.uscq.gov/?pageName=lightListWeeklyUpdates. A summary of weekly 2021 Light List corrections are available at: https://www.navcen.uscq.gov/?pageName=lightListCorrections. LNM: 03/21

ARIZONA/CALIFORNIA-COLORADO RIVER-BRIDGE INTERSTATE 8 BRIDGE (YUMA, AZ)-Repair work on the bridge will be conducted Monday through Friday, 6 a.m. to 3 p.m., 27 February, 2023 until 01 September, 2023. A 60 ft X 40 ft temporary trestle will be installed on the south bank of the river, beneath the bridge deck, extending 60 feet into the river. The channel ward ends of the trestle will be lighted at night with steady burning red lights (See I-8_Trestle_Lighting.pdf at the end of this notice.) For bridge condition updates, mariners can contact Caltrans at 858-688-1511 or 858-289-1269. Mariners are requested to transit the area with caution. For further information contact the Coast Guard Bridge Office at 510-437-3515.

NEW LAUGHLIN-BULLHEAD CITY BRIDGE-In-water work continues on construction of the new bridge in position 35-03-17N 114-36-45W. Work is being conducted Monday through Friday, 0630 to 1430, until 03 Oct 23. The access pad on the Arizona side has been reduced exposing piers of the new bridge. The installation of an access pad and silt curtain on the Nevada side of the river is complete. The Arizona side exposed piers and upriver and downriver access pad and the Nevada side silt curtain anchors will be lighted at night with steady burning red lights (see RockAccessPad_Lighting.pdf at the end of this notice). Approximately 117 feet of horizontal clearance will be provided in the center of the river during construction. Precast girders will be installed later in the project once construction of the respective abutments and piers are complete. For on-site conditions contact 702-455-6030 or 702-817-7088, or 702-286-0137. For further information contact the Coast Guard Bridge Office at 510-

LOWER COLORADO RIVER - LAKE HAVASU, AZ - MARINE EVENT 3 Disciplines will be sponsoring the Lake Havasu Triathlon on Saturday 18 March, 2023 from 7:30am to 9:00am. The event will involve approximately 350 swimmers racing on a course starting at Lake Havasu State Park Beach, down Bridgewater Channel and returning to Lake Havasu State Park Beach. Mariners are requested to transit the area with caution. For more details or comments contact Kenny Krell at 810-965-5460.

Kayak Bass Fishing, LLC will be sponsoring the Kayak Bass Fishing Catch Photo Release Tournament on 26 March, 2023 until 26 March 2023 in Lake Havasu from 6:00am to 3:00pm each day. The event will involve approximately 100 participants fishing in various parts of the lake, all public launch ramps will be utilized for the tournament. Mariners are requested to transit the area with caution. For more details or comments contact Bryce Gibbs at 602-516-2370.

Jet Jam Racing will be sponsoring the Best of the West Series Kickoff personal watercraft (PWC) race on 3 March, 2023 until 5 March, 2023 from 6:00am to 6:00pm each day. The event will involve approximately 120 participants racing on a closed course in the vicinity of Windsor State Park. Mariners are requested to transit the area with caution. For more details or comments contact Monte Hughes at 360-349-1341.

International Water Ski Racing Association will be sponsoring the International Open Water Ski Race on 11 March, 2023 until 12 March, 2023 from 8:00am until 5:00pm each day. The event will involve approximately 25 vessels pulling water-skiers on a closed course in the vicinity of the Havasu Springs Resort. Mariners are requested the transit the area with caution. For more details or comments contact Brian Vesely at 982-208-2263.

The Arizona Drag Boat Association will be sponsoring the Thunder on the River powerboat races on 31 March, 2023 until 2 April, 2023 from 8:00am to 5:30pm. The event will involve 100 participants racing on a 1000-foot course in the vicinity of La Paz County Park. Mariners are requested to transit the area with caution. For more details or comments contact Jeremy Denny at 602-614-0560.

SAILDRONE, INC. is conducting offshore oceanographic research suvey testing and will operate up to five Unmanned Surface Vehicles called SAILDRONE VOYAGER until 31 March, 2023, in the Pioneer Seamount area. The operatations will be conducted within the following coordinates:

Survey Site 1: 37-26-20N 122-59-50W 37-26-20N 122-52-50W 37-22-20N 122-52-50W 37-22-20N 122-59-50W Survey Site 2: 37-25-20N 123-19-50W

LNM: 07/23

LNM: 50/22

LNM: 06/23

LNM: 06/23

LNM: 06/23

LNM: 08/23

LNM: 06/23

SECTION VII - GENERAL

ARIZONA/NEVADA-COLORADO RIVER-BRIDGE

2021 COAST GUARD LIGHT LIST AVAILABILITY

LOWER COLORADO RIVER-LAKE HAVASU, AZ-MARINE EVENT

LOWER COLORADO RIVER-LAKE HAVASU-MARINE EVENT

LOWER COLORADO RIVER-LAKE HAVASU-MARINE EVENT

LOWER COLORADO RIVER-PARKER-MARINE EVENT

NORTHERN CALIFORNIA-ALAMEDA TO PIONEER SEAMOUNT AREA-SEA TRIALS

NORTHERN CALIFORNIA-ALAMEDA TO PIONEER SEAMOUNT AREA-SEA TRIALS

37-25-20N 123-01-50W 37-15-20N 123-01-50W 37-15-20N 123-19-50W The saildrone is 30 feet long, 18 feet tall, painted orange and marked SAILDRONE. The Saildrone will broadcast AIS and travel at a speed of 7 knots. Mariners are requested to transit the area with caution and maintain a 500 meters separation from the Saildrone. For more details or comments contact Saildrone mission control at 510-722-6070.

Charts: 18640 18680

NORTHERN CALIFORNIA-ALCATRAZ ISLAND-MARINE CONSTRUCTION Manson Construction Co. will be conducting marine construction to the wharf at Alcatraz Island at 37-49-36N 122-25-15W. Construction will begin on 23 January, 2023 and be completed on 04 October, 2025. During construction DB HAGAR will be utilizing divers during low tide. Tug WESTAR will be assisting DB HAGAR and monitoring VHF-FM Chan. 13 and 16. Mariners are requested to transit the area with caution. For more details or comments contact Matt Lehmann at 510-529-1583. Chart 18653

NORTHERN CALIFORNIA-DELTA & RIVERS-AMERICAN RIVER-BRIDGE CAPITAL CITY HWY (Route 51) BRIDGE-Caltrans is conducting rehabilitation of the bridge until 27 June, 2025. Work will be conducted during daylight hours, 7am to 5:30pm, Monday through Friday, and will include the use of barges, work boats, turbidity curtains, and access piers. (See AmRiv_SiltCurtain_BargeLocation.pdf in the enclosure section.). During the workday, barges can be moved for the safety of navigation with one hour notice to the contractor via VHF-FM CH 16 or by cell at 916-532-8208. Mariners should contact the contractor before transiting the bridge to determine location of turbidity curtains. Barges will be unmanned and moored at their work locations overnight. Each corner of each barge will be lighted at night with steady burning red lights. At least 25 feet of horizontal clearance for navigation will be available at all times. Mariners are requested to transit the area with caution. For further information, contact the Coast Guard Bridge Office at 510-437-3461. Chart 18662

NORTHERN CALIFORNIA-DELTA & RIVERS-MOKELUMNE RIVER-BRIDGE MOKELUMNE RIVER BRIDGE (HWY 12)-Rehabilitation of the bridge continues, Monday through Friday, 7 am to 5 pm, 15 December, 2022 until 21 March, 2023. Floating equipment utilized during the entire project will include a 40' x 80' spudded crane barge, a 28' x 40' supply barge, a 20' push boat, and a 16' skiff boat. The barges will be anchored in either navigational channel next to the bridge during the work day and will be left onscene unmanned overnight. Each corner of each barge will be lighted at night. (See MokeRiverBridge_RehabBargeLights.pdf for typical location and lighting diagram.) Lighted buoys will be deployed to direct mariners to the side of the bridge were no work is being conducted. For navigational safety and to request an opening of the swing span during the project, the bridge will open on signal and the barges moved Monday through Friday 7 am to 5 pm, if at least 4-hours notice is given to the bridge owner and at all other times the bridge will open on signal and the barges moved if at least 10-hours notice is given to the bridge owner. For on-scene conditions, mariners can contact the contractor at 510-774-1204 or 925-658-2672. For further information, contact the Coast Guard Bridge Office at 510-437-3461. Chart 18661

Chart 18654 LNM: 09/23 NORTHERN CALIFORNIA-DELTA & RIVERS-OLD RIVER-BRIDGE CA ROUTE 4 BRIDGE- Critical bridge rehabilitation is taking place 7am to 3:30pm Monday through Friday. The drawspan is secured in the closed-to-navigation position from 27 Oct, 2022 until 23 Apr, 2023. The swing span WILL NOT open for the passage of vessels. A 40'x80' work barge will be employed and tied to one of the bridge piers during this time. Mariners can transit through the construction site at the western most span, between the west bank and Pier 2, or other spans not being occupied by the work barge. For navigational safety, during normal work hours the barge can be moved with 4 hours advance notice by contacting the contractor. At other times, the barge can be moved with 24hrs advance notice.

HIGHWAY 37 BRIDGE-The northwest fender in the main navigation span of the bridge is damaged and may not offer adequate protection for

vessels passing through the bridge. For further information, contact the Coast Guard Bridge Office at 510-437-3516.

Each corner of the moored barge will be lighted at night with steady burning red lights (See OldRiver_Barge_Lighting_Plan.pdf in the enclosure section). In the closed position, the bridge provides 12' vertical clearance above mean high water. Vessels able to transit the bridge while closed can continue to do so at any time. For conditions at the work site, mariners can contact the contractor at 209-513-7309 or 415-375-5549; or Caltrans at 209-470-8835 or 209-465-0935. For further information, contact the Coast Guard Bridge Office at 510-437-3461. Chart 18661 LNM: 44/22

NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE REPLACEMENT BUTTE CITY BRIDGE- Replacement bridge construction continues Monday through Friday during daylight hours until 30 September, 2024. Installation of a temporary trestle has begun. Once trestle is in place, falsework will be installed. A temporary navigation span during construction will be just west of the existing bridge's pivot pier, 435 feet west of new bridge abutment, and is lighting at night with a green center channel light on the upriver and downriver portion of the trestle. Red lights will mark low steel of the remaining spans of the trestle. A buoy line will be installed, pending Coast Guard approval, to guide vessels through the bridge construction area (see ButteConstructionLighting-BuoyLine.pdf enclosure at the end of this notice). The temporary navigation span will provide at least 32 feet of horizontal clearance and 14 feet of vertical clearance from ordinary high water to low steel of the temporary trestle. For on-scene conditions contact Golden State Bridge, Inc, at 415-720-6577 or 925-260-0403 or Caltrans at 530-941-8272 or 530-682-3931. For further information contact the Coast Guard Bridge Office at 510-437-3461.

RIO VISTA BRIDGE-The upriver and downriver green center channel lights on the lift span are not operational. The center span channel lights show red in all positions, even when the span is in the fully open-to-navigation position. The bridgetender will be able to inform any vessel requesting an opening when the lift span is fully open. Estimated time of repair is unknown. For further information contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18661

NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE

NORTHERN CALIFORNIA-DELTA & RIVERS-NAPA RIVER-BRIDGE

LNM: 42/22

INM: 23/22

LNM: 51/22

LNM: 51/22

LNM: 50/22

LNM: 49/22

NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE TOWER DRAWBRIDGE- The drawspan will be secured in the closed-to-navigation position from 8am-11:15am on March 11, 2023, and from 7am-1pm on March 12, 2023, to allow community participation in the Shamrock 5K/10K and Half Marathon events. In the case of an emergency, the drawspan can be operated normally. The bridge provides 30' vertical clearance above mean high water when closed. Vessels that can transit the bridge in the closed position may continue to do so at any time. For more details or comments, contact the Coast Guard Bridge Office at (510) 437-3461.

NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE RIO VISTA BRIDGE-Caltrans continues major rehabilitation work on the bridge. Therefore, from 6 a.m. on 14 November 22 until 6 p.m. on 03 March 23, and from 6 a.m. on 06 March 23 until 6 p.m. on 25 August 23, the lift span of the bridge will open on signal if at least a 4-hour notification is given to the drawtender. For further information contact the Coast Guard Bridge Office at 510-437-3516. Chart 18661 LNM: 09/23

NORTHERN CALIFORNIA-DELTA & RIVERS-SAN JOAQUIN RIVER-BRIDGE CROWS LANDING ROAD BRIDGE-Replacement of the bridge is ongoing. Work is being conducted Monday through Friday 0600 to 1600 until 01 Sep 23. A temporary bridge, with a removable span, will be installed to facilitate construction. With the span removed, the temporary bridge will provide, at a minimum, 15 feet of horizontal clearance. The span will be removed after normal working hours. Temporary falsework will be installed to facilitate construction. The temporary falsework's navigation span will provide 16 feet of vertical clearance at Ordinary High Water when the temporary bridge's removable span is removed. Upriver and downriver red channel margin lights and green center channel lights will mark the temporary navigation span at night. To view the temporary navigation span and lighting, see the TemporaryBridge_FalseworkLighting.pdf enclosure at the end of this notice. Mariners are requested to use extreme caution when transiting the work site. For conditions at the project site mariners can contact the contractor at 916-869-8210 or 559-593-5182. For further information contact the Coast Guard Bridge Office at 510-437-3461.

NORTHERN CALIFORNIA-DELTA & RIVERS-STEAMBOAT SLOUGH-BRIDGE STEAMBOAT SLOUGH BRIDGE-The east side, south leaf, red bascule light and the northeast red fender light are extinguished. For further information contact the Coast Guard Bridge Office at 510-437-3514.

NORTHERN CALIFORNIA-HALF MOON BAY-SUNKEN VESSEL The Coast Guard received a report of a sunken towing vessel in the Pillar Point Harbor at position 37-29-42N 122-29-35W. The T/V CALEB is 94' long, with approximately 3/4 of the vessel visible above the waterline. The vessel is situated on the western side of the harbor with yellow boom surrounding it. Mariners are advised to exercise due caution while transiting in the area. For more details or comments contact LT William Harris at 415-399-7443 or SFWaterways@uscg.mil.

Humboldt Bay Lighted Bell Buoy 2 (LLNR 8135) has been temporarily discontinued for the 2022-2023 winter season until May 2023. The buoy is scheduled for re-establishment and will be back on-station May 2023. A Synthetic AIS for the aid position is active and will be available year-round for this aid position. For more details or comments contact LCDR Paul Garcia at 510-437-2982 or Paul.A.Garcia2@uscg.mil. Charts: 18620 18622 LNM: 40/22

Manson Construction Co. will conduct dredge operations in the vicinity of the Wichels Causeway from 15 October, 2022 until 01 March, 2023. Manson 75 Barge will be pumping dredged materials inland at 38-07-15N 122-16-54W and Derrick Barge EINAR at 38-06-33N 122-16-33W. Operations will be conducted 24 hrs daily. Mariners are requested to transit the area with caution. For more details or comments contact Egli Nicole at 562-400-3309.

34W. The houseboat is approx. 30 ft long, with none of the vessel visible above the waterline. Mariners are advised to exercise due caution while transiting in the area. For more details or comments contact LT William Harris at 415-399-7443 or SFWaterways@uscg.mil. Chart 18661 LNM: 50/22

A large tree obstruction is stuck in the mud directly in front of Napa River Light 30 (LLNR 6207). Mariners are requested to transit the area with caution and consider this obstruction during inbound and outbound transits. Chart 18654

FRUITVALE AVE RAIL BRIDGE-The lift span of the rail bridge is kept in the partially opened position providing 80 feet of vertical clearance at mean high water. Due to electrical issues, the lift span cannot be lifted to its fully open-to-navigation position of 135 feet above Mean High Water. Repairs are ongoing, estimated time of completion is unknown.

When the lift span of the railroad bridge is in the partially open position and the bascule span of the adjacent highway bridge is in the closed position, the lift span will show two red 180-degree center span lights on the upstream and downstream lower edge of the span. When the bascule span of the highway bridge is in the fully opened position, the lift span of the railroad bridge will show two 360-degree green lights, providing a range for the centerline of the channel between both highway and railroad bridges. For further information contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18649

The Coast Guard received a report of a sunken partially burned houseboat in the vicinity of Rancho Harbor Marina at position 38-06-30N 121-34-

NORTHERN CALIFORNIA-OAKLAND INNER HARBOR-BRIDGE

NORTHERN CALIFORNIA-MARE ISLAND-DREDGE OPERATIONS

Chart 18655

Chart 18662

Chart 18661

NORTHERN CALIFORNIA-HUMBOLDT BAY-SEASONAL AID DISCONTINUANCE

NORTHERN CALIFORNIA-MOKELUMME RIVER-ANDRUS ISLAND-SUNKEN VESSEL

NORTHERN CALIFORNIA-NAPA RIVER-LIGHT OBSTRUCTION

LNM: 40/22

LNM: 06/23

LNM: 36/22

LNM: 09/23

LNM: 23/22

LNM: 40/22

LNM: 08/23

Reef Check Foundation have deployed underwater equipment offshore Monterey Bay, CA within the following coordinates: 36-36-17N 121-52-46W 36-36-18N 121-52-49W

36-36-14N 121-52-46W All equipment will be established until 24 Mar 24. Mariners are requested to transit the area with caution and avoid anchoring within the coordinates listed above. For more details or comments contact Dan Abbot at 510-684-7835. Chart 18685

NORTHERN CALIFORNIA-OFFSHORE MOSS LANDING-SCIENTIFIC OPERATIONS The Monterey Bay Aquarium Research Institute (MBARI) will be conducting 24hrs a day autonomous, unmanned maritime vehicle operations of two Liquid Robotics, Inc. Wavegliders (www.liquidr.com), from 09 January, 2023 until 31 December, 2023. (MBARI) will deploy the vehicles in the vicinity of Moss Landing. Operations will be between 36-18-00N 122-58-59W and 37-12-00N 122-58-59W. Wave Glider carries no fuel, lubricants, or hydrocarbons, is wave powered, remotely attended from MBARI moving at speeds of 1kt, and designed to give way or part if encountered by a vessel. It is approximately 8ft by 2ft (surfboard size), yellow/copper in color, with a contact plaque and mast extending 3ft above the water surface supporting a flag. Mariners are requested to transit the area with caution. For more details or comments contact MBARI at 831-775-1700, waveglider@listserver.mbari.org, or Liquid Robotics 24/7 WGOC Operations at 888-574-4574, 1-408-636-4205.

The Coast Guard has received a report of downed powerlines in Old River from Mandeville Island to Webb Tract. The downed powerlines have been cut by PG&E and remain laying on the bottom of Old River. Mariners are recommended to avoid anchoring in the area and transit the area with caution. For details or comments contact Coast Guard Sector San Francisco Waterways at 510-612-9729. Chart 18661

The Coast Guard received a report of a sunken vessel in the vicinity of Peytonia Slough State Marine Park in the Peytonia Slough at 38-13-35N 122-02-17W. The vessel is not visible above the waterline, it is situated in the middle of the channel, and has been marked with a red buoy. Mariners are advised to exercise due caution while transiting the area. For more details or comments contact LT Miranda Brumbaugh at 510-437-2978 or Miranda.E.Brumbaugh@uscg.mil.

NORTHERN CALIFORNIA-SACRAMENTO RIVER -SUNKEN VESSEL The Coast Guard received a report of a sunken vessel in the Sacramento River at approximate position 38-14-23.5N 121-40-22.4W with the vessel partially visible above water. Mariners are advised to exercise due caution while transiting the area. For more details or comments contact USCG Sector San Francisco Waterways at 415-399-7443 or SFWaterways@uscg.mil.

The Coast Guard received a report of a partially overturned pleasure craft in the vicinity of Randall Island at position 38-20-34.8N 121-33-37.2W. The vessel is approx. 20ft long, with approx. 50 percent of the vessel visible above the waterline. Mariners are advised to exercise due caution while transiting in the area. For more details or comments contact LT William Harris at 415-399-7443 or SFWaterways@uscg.mil. Chart 18662

NORTHERN CALIFORNIA-SACRAMENTO RIVER-RIO VISTA- DIRECTIONAL DRILLING CONSTRUCTION OPERATIONS ARB Inc. will be conducting horizontal directional drilling operations below the Sacramento River to install a pipeline crossing near the city of Rio Vista at 38-08-53N 121-41-37W to 38-08-49N 121-40-51W. Operations will be conducted between 10 April, 2023 until 31 July, 2023 from 7:00am

to 7:30pm, Monday through Saturday. Construction equipment will be staged on land above the adjacent shorelines. Mariners are requested to

NORTHERN CALIFORNIA-SACRAMENTO RIVER-SAN JOAQUIN RIVER-GEOTECHNICAL DRILL TESTING Gregg Drilling and Testing will be conducting Overwater Geotechnical Investigations on the Sacramento River at 38-23-43N 121-30-44W, the San Joaquin River to Mokelumne River between 38-12-48N 121-29-43W and 37-54-20N 121-29-57W. R/V QUIN DELTA will be conducting the operations and monitoring VHF-FM Chan. 13, 14 and 16. Mariners are requested to transit the area with caution. For more details or comments contact Captain Tim O'Donnell at 949-254-5190 or at BEARatSEA@gmail.com.

NORTHERN CALIFORNIA-SACRAMENTO RIVER-SUNKEN VESSEL The Coast Guard received a report of a sunken vessel in the Sacramento River in approximate position 38-36-21N 121-31-12W. The vessel is approximately 16 feet long, and sits in 16 – 20 feet of water. Mariners are advised to exercise due caution while transiting in the area. For more details or comments contact USCG Sector San Francisco Waterways at 415-399-7443 or SFWaterways@uscg.mil. Chart 18664

SAN MATEO-HAYWARD BRIDGE - The painting of the steel towers continues. Work is being conducted Monday through Friday, 7am to 12am until June 2024. Temporary worker platforms will be installed around the base of piers 2 to 11 and 28-37, reducing horizontal clearance in each of those spans by 6 feet. Temporary underdeck work platforms will be installed in spans 12-18 and 21-27, reducing the vertical clearance by three feet.

LNM: 12/21

LNM: 02/23

LNM: 01/23

LNM: 27/22

LNM: 09/23

LNM: 50/22

LNM: 22/16

LNM: 09/23

LNM: 36/22

LNM: 36/22

NORTHERN CALIFORNIA-OFFSHORE MONTEREY BAY-UNDERWATER OPERATIONS

NORTHERN CALIFORNIA-OLD RIVER-HAZARD TO NAVIGATION

NORTHERN CALIFORNIA-PEYTONIA SLOUGH-SUISUN CITY-SUNKEN VESSEL

NORTHERN CALIFORNIA-SACRAMENTO RIVER-REDUCED VERTICAL CLEARANCE Overhead power cables upstream of Sacramento River at 38-03-54N 121-47-09W have a reported reduced vertical clearance to 119.5'.

transit the area with caution. For more details or comments contact Kelvin Qiu at 925-404-3723.

NORTHERN CALIFORNIA-SACRAMENTO RIVER-RANDALL ISLAND-OVERTURNED VESSEL

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE

Chart 18661

Chart 18656

36-36-15N 121-52-50W

Charts: 18680 18685

Charts: 18010 18661 18680

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE Tarpaulins will be used as containment around all pier columns. An Andersen under-bridge below-deck worker access vehicle will be used during the installation of the temporary containment and temporary platforms. At no time will in-water work be conducted in the main navigation span between piers 19-20, and mariners should this span at all times during this project. For conditions at the bridge, mariners can contact the contractor at 407-489-5386, 303-579-1383, or 910-279-3365. For further information contact the Coast Guard Bridge Office at 510-437-3515.

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE SAN MATEO/HAYWARD BRIDGE-Caltrans will be conducting dive operations on all piers of the bridge from 7:00am to 4:30pm from 27 February through 03 March, 2023. The dive vessel is a 33' aluminum landing craft with heavy equipment on the deck. Diver's umbilical hose may be floating at or near the surface, adjacent to the vessel. All approaching vessels should contact the vessel, "Official Business", on VHF-FM CH 16 or by cell 805-748-6011, approximately 30 minutes before transiting the bridge dive site. Mariners are requested to transit the area with caution. For further information, mariners can contact the Coast Guard Bridge Office at 510 437-3516.

INM: 46/22

LNM: 08/23

LNM: 20/22

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE SAN MATEO-HAYWARD BRIDGE-Work continues on the causeway portion of the bridge, east of pier 38, 0700 to 1530, Monday through Friday, unitl 11 May, 2023. Various size barges will be used during the project, the largest being a 100' X 20' flexifloat barge. During the work day, barges will either be spudded down or tied to the bridge piers, no anchors or anchor line will be utilized. After regular working hours the unmanned barge will be left on-site. For the safety of navigation, the barges can be moved with one-hour advance notice. For conditions at the bridge mariners can contact Golden State Bridge, Inc., on VHF-FM Marine Radio Channels 13, 14, and 16 or by cell phone at 707-246-0725, 925-260-2104, or 925-382-7288. For more details or comments contact the Coast Guard Bridge Office at 510-437-3515.

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE RICHMOND-SAN RAFAEL BRIDGE-Concrete/steel repairs and cleaning of the bridge continues. Work is being conducted Monday through Friday, 0500 to 1700, until 01 May 23. Temporary underdeck platforms have been installed from the western shore to pier 33 and between piers 43-46 reducing vertical clearance in each span by three feet. The upstream and downstream lower edge of each temporary platform is lighted at night with steady burning red lights (see R-SR_Bridge_Temp_Platform_Lighting.pdf at the end of this notice.) Two 160' X 50' barges and one 110' X 32' barge are being used to assist in the installation of the platforms and for the blasting and painting. One barge has been secured to pier 8 and will be left on-scene, overnight, unmanned. The outboard corners of the barge at pier 8 is lighted at night with steady red lights. Barge "37" and barge "32" can be contacted on VHF-FM Ch. 16, 13 and 14. At no time will the work impede the east or west navigation spans or their auxiliary spans. For conditions at the bridge, mariners can contact the contractor at 860-904-8787 or 443-847-6286. For further information concerning this project contact the Coast Guard Bridge Office at 510-437-3515.

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE GOLDEN GATE BRIDGE-Four 54' temporary under deck platforms; two 475' and 2,075' north of the south tower, and two 175' and 675' south of the north tower have been installed at the bridge. Temporary platforms reduce vertical clearance at the bridge by no more than 14'. The bridge's maintenance travelers are in use during the project and will remain outboard of the furthest north and furthest south temporary platforms. The temporary platforms and maintenance travelers are lighted at night with all-round red lights (see PlatformLighting_GG_Bridge_14Jun22.pdf at the end of this notice). For navigational safety the maintenance travelers can be moved by contacting the Golden Gate Bridge at 415-923-2220. Work is being conducted Monday through Saturday, 0700-1700 and 2100-0500. For conditions at the bridge, mariners can contact the contractor at 415-716-0384. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-DETERIORATING CONCRETE PILINGS Deteriorating concrete pilings above and below the waterline are present in the vicinity of the the south edge of Southampton Shoal Light (LLNR 5480). Mariners are requested to transit the area with caution. For more details or comments contact LT Miranda Brumbaugh at 510-437-2978 or Miranda.E.Brumbaugh@uscg.mil.

There is a potential hazard to navigation in the San Francisco Bay located at 37-54-06N 122-23-56W. The obstruction is an unmarked barge mooring platform. Mariners are requested to transit the area with caution. For more details or comments contact Sector San Francisco Waterways at 415-399-7442.

Shoaling has been reported on the south side of Oakland Inner Harbor South Channel in the east passage through the Fruitvale Ave. Bridge. Mariners are requested to transit the area with caution and report any observed changes in shoaling conditions to the San Francisco VTS on VHF-Chart 18650 LNM: 16/15

SAILDRONE, INC. is conducting oceanographic survey operations and will operate an Unmanned Surface Vehicles called Saildrone until 31 March, 2023. The operations will be conducted 0.8 nm South of General Anchorage 9 in San Francisco Bay and bounded by the following coordinates:

Area 1: 37-26-20N 122-59-50W 37-26-20N 122-56-50W 37-22-20N 122-52-50W 37-22-20N 122-59-50W Area 2: 37-25-20N 123-19-50W

Chart 18653 LNM: 16/21

Chart 18649 LNM: 24/22

Chart 18649 LNM: 23/15

Chart 18653 LNM: 42/22

FM Chan. 14. For more details or comments contact U.S. Coast Guard Sector San Francisco Waterways Management at 415-399-7443.

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-SURVEY OPERATIONS

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-OAKLAND INNER HARBOR-SHOALING

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-HAZARD TO NAVIGATION

37-25-20N 123-01-50W 37-15-20N 123-01-50W 37-15-20N 123-19-50W The saildrone is 30 feet long, 18 feet tall, painted orange with a tri-color light on top and marked SAILDRONE. Mariners are requested to transit the area with caution. For more details or comments contact Saildrone mission control at 510-722-6070.

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-TREASURE ISLAND-SUNKEN VESSEL The Coast Guard received a report of a sunken vessel in the North West corner of Treasure Island at 37-49-41N 122-22-50W and is in approximately 40ft of water with the mast visible above water. Mariners are advised to exercise due caution while transiting in the area. For more details or comments contact USCG Sector San Francisco Waterways at 415-399-7443 or SFWaterways@uscq.mil.

BAY FARM ISLAND HIGHWAY AND PEDESTRIAN BRIDGES-The pier protection system at the bridges have deteriorated and may not offer adequate protection for the bridges as well as vessels transiting the bridge. Mariners are urged to transit both bridges with caution. The bridge owner is in the process of designing a replacement pier protection system. For more details or comments contact the Coast Guard Bridge Office at 510-437-3514.

LAUREL STREET BRIDGE- A new water conveyance pipeline is being installed. To conduct the work, a bucket truck on the bridge deck will be utilized to suspend a mobile platform from the side of the bridge, vertical clearance will be temporarily reduced by 6-feet. Work is being conducted Monday through Friday, 7 am to 4:30pm, until 17 March, 2023. There will be no in-water work or equipment used during this project. Mariners are urged to use caution while transiting the bridge. For further information contact the Coast Guard Bridge Office at 510-437-3515.

The Dutra Group will be conducting marine construction to the Phillips 66 San Francisco Refinery located West of the Carquinez Bridge from 03 January, 2023 until 31 December, 2023, during daylight hours. Construction will be bounded by the following coordinates: 38-03-22N 122-15-52W

38-03-06N 122-15-39W Crane barge 1, along with a work boat, will be conducting operations and monitoring VHF-FM Chan. 9, 16, and 77. Mariners are requested to transit the area with caution. For more details or comments contact Nicholas Dino at 707-389-0505.

As of 9 January, 2023, there is significant shoaling reported in Santa Cruz Harbor caused by weather event in the area. Shoaling reduces charted depth at the entrance and various locations of the harbor. Vessel operators should consider this information for inbound and outbound transits or avoid area until sufficient draft clearances are made available. For latest update on conditions, the Santa Cruz Harbor Office can be contacted at 831-475-6161 or 831-471-1131 as well as VHF-FM Chan. 09 or 16.

The Santa Cruz Port District is conducting dredging operations in the harbor entrance from 15 November, 2022 until 30 April, 2023. A submerged dredging equipment may be in vicinity of the entrance. All mariners entering the Santa Cruz Harbor are requested to contact the dredge TWIN LAKES on VHF-FM Chan. 8 during working hours of 7:00am to 4:00pm Monday through Friday to obtain safe passage information. For information after hours please contact the Santa Cruz Harbor Patrol at 831-475-6161 or 831-471-1131. Mariners are requested to transit the area with caution. For more details or comments contact Blake Anderson at 831-475-6161.

Suisun Bay Channel Lighted Buoy 22 (LLNR 6540) in approximate position 38° 03'30.3" N 121° 59' 18.9" W. This private aid is a single pile structure with "Danger" markings and may be unlit or displaying a yellow light. Mariners are advised to use caution when transiting the area. For more details or comments contact Coast Guard Sector San Francisco Waterways at 510-612-9729. Chart 18656 LNM: 04/23

The California Department of Water Resources advises that will be installing flashboards at the Suisun Marsh salinity control structure, located 2.2 nautical miles from the easterly end of Montezuma Slough at 38-05-36N 121-53-07W. Mariners are advised to use the boat lock. The boat lock signal is a standard traffic light and the operator will monitor VHF-FM Chan. 13. Mariners are requested to transit the area with caution. For more details or comments contact Ian Uecker at 916-574-2991. Chart 18656

The City of San Diego Marine Biology Lab is conducting year-round ocean monitoring sampling in the vicinity of the South Bay Ocean Outfall and Point Loma Ocean Outfall. The Ocean Monitoring Program conducts trawl sampling, benthic sampling with a double Van Veen sediment grab, vertical CTD casts and horizontal tows with an undulating underwater vehicle, ROV surveys and multiple moorings are deployed in the region below. Ocean sampling will be conducted in an area bound by the following coordinates:

LNM: 51/22

LNM: 06/23

LNM: 31/22

LNM: 02/23

LNM: 51/22

LNM: 02/23

LNM: 45/22

LNM: 34/21

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-SURVEY OPERATIONS

NORTHERN CALIFORNIA-SAN LEANDRO BAY-BRIDGE

NORTHERN CALIFORNIA-SAN LORENZO RIVER-BRIDGE

NORTHERN CALIFORNIA-SAN PABLO BAY-TORMEY-MARINE CONSTRUCTION

NORTHERN CALIFORNIA-SANTA CRUZ HARBOR-SHOALING

NORTHERN CALIFORNIA-SANTA CRUZ-DREDGE OPERATIONS

NORTHERN CALIFORNIA-SUISUN BAY-HAZARD TO NAVIGATION The Coast Guard has received a report of an uncharted private aid in Suisun Bay between Suisun Bay Channel Lighted Buoy 20 (LLNR 6525) and

NORTHERN CALIFORNIA-SUISUN BAY-MONTEZUMA SLOUGH-MARINE CONSTRUCTION

SAN DIEGO-OCEANOGRAPHIC SURVEY-OCEAN MONITORING

Chart 18685

Chart 18649

Chart 18650

Chart 18649

Chart 18685

38-03-25N 122-15-33W 38-03-06N 122-15-34W

Charts: 18654 18655

Chart 18685

32-31-54N 117-11-11W 32-32-10N 117-11-57W

32-40-10N 117-16-55W The M/V OCEANUS and M/V MONITOR III when in the area will monitor VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Adriano Feit at 619-758-2377 or 858-882-7055. Charts: 18765 18772

SOUTHERN CALIFORNIA - SAN DIEGO - DIVING OPERATIONS The U.S. Navy will be conducting diving operations from 6 March, 2023 until 10 March, 2023 in the vicinity of the following positions: 32-51-90N 117-26-60W 33-23-40N 118-20-00W

The HOS DOMINATOR will be on scene monitoring VHF-FM Chan. 16. Mariners are requested to remain clear due to risk of entanglement and use caution when transiting the area. For further details or comments contact ETVC Hickman at (619) 545-9677.

SOUTHERN CALIFORNIA - SANTA CRUZ - WAVERIDER BUOY A Waverider buoy has been deployed at 36-56-04N 122-02-02W near Santa Cruz, CA. The buoy will be used for wave measurements to aid the Coastal Data Information Program. For questions, contact Ross Timmerman at 619-818-8387.

SOUTHERN CALIFORNIA - CAMP PENDLETON - TEMPORARY BUOYS The Marine Corps Warfighting Laboratory has deployed 4 temporary buoys just outside of the surf zone in the vicinity of Camp Pendleton. Approximate positions: 33-16.04N, 117-27.06W

33-17.63N, 117-28.43W The buoys will be in place until 15 August, 2023. Mariners are requested to transit the area with caution. For questions, contact Peter Young at 757-761-0395.

Temp Buoy #9- Fl G 4s Position: 33-43-927N 118-05-981W Temp Buoy #10 Q R Position: 33-43-963N 118-05-818

SOUTHERN CALIFORNIA- SANTA BARBARA HARBOR- DREDGE OPERATIONS

SOUTHERN CALIFORNIA-ALAMITOS BAY-BRIDGE

For more details or comments contact LT Miranda Brumbaugh at 510-437-2978 or Miranda.E.Brumbaugh@uscg.mil. Charts: 18746 18749

Pacific Dredge Company is conducting dredging operations in Santa Barbara Harbor at 34-24-55N 119-41-30W from 15 February, 2023 until 15 March, 2023. Cutterhead dredge SANDPIPER will be connected to a 3000ft long floating pipeline, and a high voltage power cable connects the dredge to shore. Dredge SANDPIPER and anchor boat KATHLEEN will monitor VHF-FM Chan. 6 and 16. Mariners are requested to transit the area with caution. For more details or comments contact Gary Foster at 805-331-2995

APPIAN WAY-The west side green center channel light is extinguished. For further information contact the Coast Guard Bridge Office at 510-437-3514 Chart 18749 LNM: 06/23

SOUTHERN CALIFORNIA-CARLSBAD-MARINE CONSTRUCTION Kiewit-Shea will be conducting marine construction in the Agua Hedionda Outer Lagoon at 33-08-19N 117-20-17W from 05 January, 2023 until 01 April, 2023. Operations will be conducted on the intake structure of the Claude "Bud" Lewis Carlsbad Desalination Plant. The Excavator CAT 345, a 18ft skiff, along with a 24ft push boat will be conducting operations. Mariners are requested to transit the area with caution. For more details or comments contact Jimmy Huynh at 562-321-3027. Chart 18774

SOUTHERN CALIFORNIA-CATALINA ISLAND-BUOY DEPLOYMENT Marine BioEnergy INC. will deploy a yellow research buoy on 29 November, 2022 near Catalina Island, CA with the characteristics of FI Y 4s at 33-28-21N 118-29-33W. The buoy will be deployed until 29 May, 2023. Mariners are requested to transit the area with caution. For more details or

LNM: 43/21

LNM: 09/23

LNM: 33/22

LNM: 09/23

LNM: 29/22

LNM: 07/23

LNM: 52/22

SAN DIEGO-OCEANOGRAPHIC SURVEY-OCEAN MONITORING

32-23-40N 117-20-00W Charts: 18757 18765

Chart 18685

Chart 18774

The U.S. Coast Guard has established temporary Buoys in Anaheim Bay at the following locations.

SOUTHERN CALIFORNIA- ANAHEIM BAY- TEMPORARY BUOYS

Temp Buoy #11 FL G 4s

Temp Buoy #13 Fl G 4s

Position: 33-44-077N 118-05-862W

Position: 33-44-211N 118-05-799W

33-17.23N, 117-28.04W 33-17.46N, 117-28.26W

32-32-03N 117-12-06W 32-32-33N 117-11-56W 32-40-10N 117-19-22W 32-40-04N 117-19-34W 32-39-37N 117-19-32W 32-39-56N 117-19-39W

Chart 18725

SOUTHERN CALIFORNIA-CATALINA ISLAND-BUOY DEPLOYMENT comments contact Cindy Wilcox at 818-952-6018.

Chart 18740

Chart 18725

Chart 18751

Chart 18751

Chart 18749

Chart 18749

Charts: 18700 18703

Charts: 18746 18749 18751

SOUTHERN CALIFORNIA-CHANNEL ISLANDS HARBOR-BRIDGES CHANNEL ISLANDS BLVD EAST (MANDALAY BAY) & CHANNEL ISLANDS BLVD WEST (EDISON CANAL) BRIDGES-Rehabilitation of the bridges will take

SOUTHERN CALIFORNIA-LONG BEACH HARBOR-MARINE CONSTRUCTION

SOUTHERN CALIFORNIA-LONG BEACH HARBOR-MARINE CONSTRUCTION Dutra Construction Company is conducting marine construction in the Port of Long Beach, CA at the Carnival Cruise Lines Wharf H, 7 days a week

SOUTHERN CALIFORNIA-LOS ANGELES HARBOR-DREDGE OPERATIONS

area with caution. For more details or comments contact Andrew Hunt at 415-837-6640.

more details or comments contact Sergio Covarrubias at 562-983-2397.

SOUTHERN CALIFORNIA-LOS ANGELES/LONG BEACH HARBOR-BRIDGE VINCENT THOMAS BRIDGE-A 180 ft temporary platform, used to paint the underside of the bridge, continues to move west from the east tower. The platform reduces vertical clearance of the bridge by 5.5 ft. It is anticipated the temporary platform will arrive at the east edge of the shipping

SOUTHERN CALIFORNIA-LOS ANGELES/LONG BEACH HARBOR-BRIDGE PIER 400 BRIDGE MODIFICATION- Construction is taking place Monday through Friday, 6am to 4pm, until 31 September, 2023. All in-water equipment and temporary structures will occur within the two existing bridges, and will not impact marine traffic in the area. For conditions at the work site, contact 714-536-9553 or 510-846-0325. For further information contact the Coast Guard Bridge Office at 510-437-3461.

SOUTHERN CALIFORNIA-MORRO BAY BREAKWATER LIGHT-SOUND SIGNAL CHANGE

SOUTHERN CALIFORNIA-NAVAL BASE POINT LOMA-DREDGE OPERATIONS

Vessels DB POINT LOMA, DB WILLIAM F and DB PALOMAR will be performing dredging operations with scows HAROLD M, CLARENCE D, ROB P and MIKE J, along with push boat JEANIE R, crew boat JOHN DRAKE and RES survey boat in conjunction with tugs KILLEEN and CUYAMACA. All equipment will be monitoring VHF-FM Chan. 16. Mariners are reminded to observe all established Security Zones, and are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For more details or comments contact project manager Erick Myers at 619-233-0178 or Christopher Ramos at 619-221-7236. Chart 18773

be activated by keying the microphone 6 times within 10 seconds on VHF-FM Chan. 83A and will sound 1 blast every 30 seconds for 15 minutes.

SOUTHERN CALIFORNIA-NAVAL BASE POINT LOMA-MARINE CONSTRUCTION-DREDGE OPERATIONS R.E. Staite Engineering Inc. will conduct marine construction and dredging operations at Naval Base Point Loma behind the 151 Fuel Pier at 32-41-59N 117-14-13W from 01 October, 2022 until 31 March, 2023. Vessels DB PALOMAR, DB POINT LOMA, DB WILLIAM F, push boat JENIE R, crew boat JOHN DRAKE along with tugs KILLEEN, CUYAMACA and 04 scows will conduct operations. All vessels will monitor VHF-FM Chan. 16. All dredged materials will be disposed of at LA-5. Mariners are requested to transit the area with caution. For more details or comments contact Erick Myers at

LNM: 06/23

LNM: 47/22

LNM: 03/23

LNM: 46/22

LNM: 08/23

LNM: 08/23

LNM: 30/22

LNM: 26/22

LNM: 42/22

LNM: 40/22

place 7 am to 3:30 pm, Monday through Friday, 15 February, 2023 through 15 August, 2023. No in-water work will be conducted at the east bridge. At the west bridge two 5' X 20' X 10' flexi-floats will be employed and will be secured with two 35' spuds. The flexi-floats will reduce horizontal clearance in the channel by no more than 10 feet. 8' X 11'cofferdams will encase the bridge columns at each bent. Only one channel of the west bridge will be impacted at any one time. The ends of the cofferdams and each corner of each flexi-floats will be lighted at night with steady burning red lights (See Channel_Islands_Bridge_Rehab.pdf at the end of this article.) For the safety of navigation, the flexi-floats can be moved with a 30-minute advance notice to the contractor. Mariners are requested to approach the west bridge with caution and avoid the span of

The Port of San Diego will commence Imperial Beach Pier Enhancements at 32-34-46N 117-07-54W from 15 January, 2023 until 15 June, 2023. Mariners are requested to transit the area with caution. For more details or comments contact the Port of San Diego at 619-540-0230.

Rincon Consultants Inc. will be conducting marine construction within the Long Beach Harbor at Junipero Beach at 33-45-42N 118-09-51W from 28 November, 2022 until 31 May 2023. A small craft will be on scene constructing a cofferdam during daylight hours. The vessel will be monitoring VHF-

16 and 67. Dredged materials will be disposed of within disposal site Berths 243-245. Mariners are requested to transit the area with caution. For

lighted at night with steady burning red lights (see V_Thomas_Platform_Lighting1.pdf at the end of this notice). Work will take place during daylight hours, Monday through Friday. For conditions at the bridge mariners can contact 213-479-4138, 213-479-1144 or 310-261-9552. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Eric Schaad at 559-514-1837.

the bridge where work is being conducted. For further information contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18765

SOUTHERN CALIFORNIA-IMPERIAL BEACH-MARINE CONSTRUCTION

until August, 2023. Construction crews will work pier side and will be monitoring VHF-FM Chan. 13, 16, and 72. Mariners are requested to transit the

Manson Construction Co. is conducting dredge operations of the Port of Los Angeles berths 174 and 176 at 33-45-28N 118-15-44W until 5 March, 2023. Operations will be conducted from 6:00am until 6:00pm. DB Vulcan, will be assisted by TB Elmer M. All vessels will be monitoring VHF-FM Chan.

channel in summer of 2024. The upstream and downstream corners and every 50' along the upstream and downstream side of the platform is

Morro Bay Breakwater Light (LLNR 240) sound signal has been replaced with a Mariner Radio Activated Sound Signal (MRASS). The sound signal can

R.E. Staite Engineering Inc. will be conducting dredging at Naval Base Point Loma, centered at 32-41-16N 117-14-17W, until 31 March, 2023.

SOUTHERN CALIFORNIA-OXNARD-ROCK REVETMENT REPAIR Larison Contracting will be conducting repair and replacement of rock revetment in Oxnard CA at 34-10-03 N 119-13-31 W until 12 June, 2023. Operation will be monitoring VHF-FM Chan. 16. Mariners are requested to transit at a safe speed to minimize wake and proceed with caution after

SOUTHERN CALIFORNIA-POINT CONCEPTION-NOAA BUOY DEPLOYMENT NOAA's Pacific Marine Environmental Laboratory deployed a buoy 11 nautical miles due west of Point Conception, CA. at 34-27-31N 120-41-10W. The buoy named Harvest 22 has a yellow top with gray sides and a flashing amber light every 4 seconds. Mariners are advised to use due caution when transiting this area. For more details or comments contact Cabot Zucker at 425-477-9554.

SOUTHERN CALIFORNIA-POINT DUME TO PURISIMA POINT-UNDERWATER OPERATIONS Motor Vessel Independence is conducting underwater operations off the coast of California within 1 nautical miles of positions 33-15-36 N 119-26-36W from 6 March, 2023 until 15 March, 2023. Operations will be conducted between 7:00am until 6:00pm. The M/V Independence will be monitoring VHF-FM Chan.13 and 16. Mariners are requested to transit the area with caution due to submerged gear. For more details or comments contact Steve Canale at 360-434-8624.

Dutra Construction Company will be conducting marine construction and dredging operations of Wharf H at the Port of Long Beach from 01 November, 2022 until 01 June, 2023. Barge WILLIAM F will be monitoring VHF-FM Chan. 16 and 82. Mariners are requested to transit the area with caution. For more details or comments contact Andrew Hunt at 415-847-6640. Charts: 18749 18751 LNM: 41/22

until 31 May, 2023. Dive operations will be conducted at the pier and assisted by a crane barge. Operations will be between 6:00am until 5:00pm, Monday through Friday. The site superintendent will be on scene monitoring VHF-FM Chan. 72. Mariners are requested to transit the area with caution. For more details or comments contact Joe Salgado at 310-505-0142. Chart 18744

Construction will be Demolishing the Redondo Beach Sports Fishing Pier in Redondo Beach, CA at 33-50-35N 118-23-38W from 27 February, 2023

CORONADO BAY BRIDGE MAINTENANCE-Scaffolding installed between piers 11-12, 12-13, and 13-14, reduces vertical clearance by more than 8'. The upstream and downstream lower edges of the scaffolding are lighted at night with red lights. For more details or comments contact the Coast Guard Bridge Office at 510-437-3461. Charts: 18772 18773

R.E. Staite Engineering Inc. will conduct marine construction at Naval Base Point Loma at 32-41-33N 117-14-22W from 16 September, 2022 until 31 March, 2023. Vessels DB PALOMAR, DB POINT LOMA, RES 180, crew boat JOHN DRAKE, along with tug CUYAMACA will conduct operations. All vessels will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Erick Myers at

R.E. Staite Engineering Inc. will conduct marine construction at Naval Base Point Loma piers 5000 at 32-41-16N 117-14-17W from 16 September, 2022 until 31 March, 2023. Vessels DB PALOMAR, DB POINT LOMA, DB WILLIAM F, push boat JEANIE R, crew boat JOHN DRAKE along with tugs KILLEEN, CUYAMACA and 04 scows will conduct operations. All vessels will monitor VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Erick Myers at 619-233-0178 or Christopher Ramos at 619-221-7236.

SOUTHERN CALIFORNIA-SAN DIEGO BAY-MARINE EVENT The Cortez Racing Association (CRA) will sponsor the CRA March Madness Regatta on 11 March, 2023 from 10am until 5pm. The regatta will consist of 40 sailboats starting near Harbor Island, proceeding to San Diego Bay Channel Lighted Buoy 16 (LLNR 1620), continuing to San Diego Bay Channel Lighted Buoy 28 (LLNR 1980), and finishing back at Harbor Island. Mariners are requested to transit the area with caution. For more details or comments, contact Dale Greaney at 760-470-1730.

WEST MISSION BAY DRIVE BRIDGE-The City of San Diego is replacing the existing bridge. A temporary work trestle, providing a vertical clearance of 8' over Mean Sea Level is in place. Scheduled completion date of the bridge replacement project is March 2023. Mariners are urged to use caution while navigating the replacement bridge work site. For more details or comments contact the Coast Guard Bridge Office at 510-437-3461. Chart 18765

SOUTHERN CALIFORNIA-SAN DIEGO-MARINE EVENT

LNM: 41/22

LNM: 45/22

LNM: 13/22

LNM: 09/23

LNM: 09/23

LNM: 13/20

LNM: 32/22

LNM: 41/22

LNM: 06/23

LNM: 44/22

SOUTHERN CALIFORNIA-NAVAL BASE POINT LOMA-MARINE CONSTRUCTION-DREDGE OPERATIONS

619-233-0178.

Chart 18725

Chart 18720

Chart 18773

making passing arrangements. For more information, contact Michael Tripp at 562-427-1900.

SOUTHERN CALIFORNIA-REDONDO BEACH-MARINE CONSTRUCTION

SOUTHERN CALIFORNIA-PORT OF LONG BEACH-MARINE CONSTRUCTION

SOUTHERN CALIFORNIA-SAN DIEGO BAY-BRIDGE

SOUTHERN CALIFORNIA-SAN DIEGO BAY-MARINE CONSTRUCTION

SOUTHERN CALIFORNIA-SAN DIEGO BAY-MARINE CONSTRUCTION

Chart 18773

SOUTHERN CALIFORNIA-SAN DIEGO RIVER-BRIDGE

619-233-0178.

Chart 18773

Chart 18773

The San Diego Yacht Club will be sponsoring the One Design Weekend Monthly Series on various dates throughout CY2023. The event is scheduled for 21-22 January, 11-12 February, 29-30 April, 13 May, 10-11 June, 8-9 July, 12-13 August, 23-24 September, 14-15 October, 11-12 November, and 9 December, 2023. The events will involve approximately 30 sailing vessels racing on a course in Coronado Roads, CA. The course will be centered at approximately 32-39-30N 117-11-40W and will extend southwest up to 1.2 nm. Mariners are requested to transit the area with caution. For more details or comments contact Jeff Johnson at 619-933-9922.

SOUTHERN CALIFORNIA-SAN DIEGO-MARINE EVENT The San Diego Yacht Club will be sponsoring the Etchells West Coast Series sailing event on 11 March, 2023 until 12 March 2023, 31 March, 2023 until 2 April, 2023 and 19 May until 21 March, 2023, from 11:00am to 5:00pm each day. The event will involve 35 sailing vessels racing on a course in Coronado Roads, starting at approximately 32-38-00N 117-10-42W and extending 1.2 nm windward in the prevailing wind direction. Mariners are requested to transit the area with caution. For more details or comments contact Jeff Johnson at 619-933-9922.

The San Diego Yacht Club will be sponsoring the Helly Hansen World Regatta Series sailing event on 17 March, 2023 until 19 March, 2023, from 11:00am to 5:00pm each day. The event will involve 80 sailing vessels racing on a course in Coronado Roads, and South Bay Coronado starting at approximately 32-39-30N 117-11-42W and extending 1 nm windward in the prevailing wind direction. Mariners are requested to transit the area with caution. For more details or comments contact Jeff Johnson at 619-933-9922.

SOUTHERN CALIFORNIA-SAN LUIS OBISPO BAY-PORT SAN LUIS HARBOR-DREDGE OPERATIONS The Port of San Luis Harbor District will be conducting dredge operations at 35-10-25N 120-45-15W from 1 March, 2023 until 31 August, 2023 during daylight hours. Dredged materials will be disposed of at West Bluff Beach and Fisherman's Beach. Mariners are requested to transit the area with caution. For more details or comments contact Natalie Teeter at 805-595-5431. Charts: 18700 18703

SOUTHERN CALIFORNIA-SAN NICHOLAS ISLAND-ATMOSPHERIC BUOY DEPLOYMENT Naval Air Systems Command has deployed an atmospheric sampling buoy 1.5 miles Northeast of San Nicolas Island at 33-18-00N 119-30-55W. The yellow buoy FI Y 3s, is 6 feet above the waterline and 2 feet in diameter. Mariners are requested to transit the area with caution. For more details or comments contact Kyle Edwards at 805-989-0672.

Marine BioEnergy INC. will be conducting biomass research from 17 November, 2022 until 15 May, 2023 at 33-28-12N 118-29-33W. The R/V SEA SCOUT will be deploying a yellow buoy with a light characteristic of FI Y 4s to study the growth of kelp in the area. Mariners are requested to transit the area with caution. For more details or comments contact Cindy Wilcox at 818-952-6018.

Hazardous operations will be conducted from Vandenberg AFB, CA starting at 9:46am on 27 February, 2023 until 16:31pm on 4 March, 2023. Hazardous operation areas are bounded by the following coordinates: 34-40-00N 120-43-00W

32-40-00N 119-25-00W 32-39-00N 119-37-00W 33-16-00N 119-58-00W 33-53-00N 120-23-00W 34-21-00N 120-36-00W 34-32-00N 120-40-00W (CLOSING THE FIRST POINT) Mariners are advised to remain clear of these areas for the duration of operations. For more details or comments contact Vandenberg AFB at 805-606-8825 or on VHF-FM Chan. 06 or 16. Charts: 18700 18720 18740 LNM: 08/23

SOUTHERN CALIFORNIA-VANDENBERG AFB-HAZARDOUS OPERATIONS Hazardous operations will be conducted from Vandenberg AFB, CA starting at 10:30am on 2 March, 2023 until 3:44pm on 6 March, 2023.

Hazardous operation areas are bounded by the following coordinates:

33-39-00N 119-41-00W (CLOSING THE FIRST POINT)

34-39-00N 120-38-00W 34-39-00N 120-36-00W 34-38-00N 120-32-00W 32-31-00N 119-48-00W 32-49-00N 119-27-00W

Mariners are advised to remain clear of these areas for the duration of operations. For more details or comments contact Vandenberg AFB at 805-606-8825 or on VHF-FM Chan. 06 or 16.

Charts: 18700 18720 18740

SOUTHERN CALIFORNIA-VANDENBERG AFB-HAZARDOUS OPERATIONS

Hazardous operations will be conducted from Vandenberg AFB, CA starting at 9:46am on 28 February, 2023 until 4:31pm on 1 March, 2023. Hazardous operation areas are bounded by the following coordinates:

LNM: 03/23

LNM: 06/23

LNM: 09/23

LNM: 09/23

LNM: 39/22

LNM: 46/22

LNM: 09/23

SOUTHERN CALIFORNIA-SAN DIEGO-MARINE EVENT

SOUTHERN CALIFORNIA-SAN DIEGO-MARINE EVENT

Chart 18773

Chart 18773

Chart 18773

Chart 18720

Charts: 18746 18757

34-40-00N 120-17-00W 34-27-00N 120-17-00W

34-34-00N 120-44-00W

SOUTHERN CALIFORNIA-VANDENBERG AFB-HAZARDOUS OPERATIONS

SOUTHERN CALIFORNIA-TWO HARBORS-CATALINA ISLAND-BUOY DEPLOYMENT

34-08-00N 120-05-00W

	34-40-00N 120-17-00W 34-27-00N 120-17-00W 34-08-00N 120-05-00W 32-40-00N 119-25-00W 32-39-00N 119-37-00W 33-16-00N 119-58-00W 33-53-00N 120-23-00W 34-21-00N 120-36-00W 34-32-00N 120-40-00W (CLOSIN Mariners are advised to remain of 606-8825 or on VHF-FM Chan. 0 Charts: 18700 18720 18740 SOUTHERN CALIFORI Manson Construction Co. is cond 119-16-07W 24 hours a day from survey boat RUSTLER will monitor pipeline to the disposal area sou Project Manager Max Oviedo at 3 Chart 18725	lear of these area 6 or 16. NIA-VENTURA H ucting hydraulic r n 01 March, 23 ur or VHF-FM Chan. th of surfer's knol	s for the duration o ARBOR-DREDGE (naintenance dredgir til 15 April, 2023. D 16 and 67. Material	OPERATIO ng of the Ve redge HR M will be tran	NS ntura Harbo IORRIS, DB sported thro	or Main Channel, en FREYA, dredge ten ough floating pipelin	LNM: 08/23 trance and sand trap at 34-1 der PUP, dredge tender CUB, e, submerged pipeline, and s	4-51N and shore
			TION VIII - LIGH					
						nade to new inform		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
Nor	ne							
			PUBLICATION	CORRE	CTIONS			
Cal ww On	ANNOUNCEMENT – BLICATION–National Oceanic At lifornia, 54th Edition, 2022, has l ww.nauticalcharts.noaa.gov/publi ly Print-on-Demand (POD) bound e 2022 Edition cancels the prece	mospheric Admini been issued and is cations/coast-pilo d copies are availa	stration (NOAA) – U ready for free dow t/index.html. able for purchase; vi	I.S. Coast Pi nload and v isit nautical	lot 7, Pacifi veekly upda charts.noaa	c Coast: ites at	int-agents.html#coast-pilot. LNM: 21/22	
iss	ANNOUNCEMENT – 5 Coast Pilot 7 will be divided into ued on the same date and ready he 9, 2020, at nauticalcharts.noa	o two editions in t for free download	he spring 2020 due d and weekly update	to its large es on				Эе
	BLICATION–National Oceanic Atl lifornia 52nd Edition, 2020	mospheric Admini	stration (NOAA) – U	.S. Coast Pi	lot 7, Pacifi	c Coast:		
	BLICATION–National Oceanic At egon, Washington, Hawaii and P			.S. Coast Pi	lot 10, Paci	fic Coast:		
	ly Print-on-Demand bound copie uticalcharts.noaa.gov/publication							
	r any questions or comments; vis uticalcharts.noaa.gov/customer-s							
	DAA Office of Coast Survey's Nau ril 2020	tical Publications I	Branch				LNM- 10/20	

LNM: 18/20

LNM:

06/07

ENCLOSURES

REPORT OF DELAY AT DRAWBRIDGE

Delay_Report_11-2017.pdf

Use link above to Report a Delay at a Drawbridge.

OPERATIONS	LNM:	04/23	
	LNM:	04/23	
			LNM: 09/23 01 March 2023

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE PlatformLighting_GG_Bridge_14Jun22.pdf GOLDEN GATE BRIDGE-Temporary Platform Location and Lighting revised 14 June, 2022. LNM: 24/22 R-SR_Bridge_Temp_Platform_Lighting.pdf RICHMOND-SAN RAFAEL BRIDGE- See link above for temporary underdeck platform lighting for concrete and steel repairs. LNM: 48/21 ButteConstructionLighitng-BuoyLine.pdf REPLACEMENT BUTTE CITY BRIDGE-See link above for temporary construction trestle and lighting and proposed buoy line.. LNM: 36/22 NORTHERN CALIFORNIA-DELTA & RIVERS-SAN JOAQUIN RIVER-BRIDGE TemporaryBridge_FalseworkLighting.pdf CROWS LANDING REPLACEMENT-See link above for temporary falsework, temporary bridge, the temporary navigation channel during construction LNM: 36/22 NEVADA-ARIZONA-COLORADO RIVER-BRIDGE LNM: 50/22 NORTHERN CALIFORNIA-DELTA & RIVERS-OLD RIVER-BRIDGE OldRiver_Barge_Lighting_Plan.pdf LNM: 44/22 NORTHERN CALIFORNIA-DELTA & RIVERS-MOKELUMNE RIVER-BRIDGE MOKELUMNE RIVER BRIDGE (HWY 12)-See link above for typical barge and buoy lighting and location during rehabilitation project. LNM: 48/22 NORTHERN CALIFORNIA-MONTEREY BAY-SURVEY OPERATIONS MONTEREY BAY-SURVEY OPERATIONS.pdf

SOUTHERN CALIFORNIA-CHANNEL ISLANDS HARBOR-BRIDGES

Channel_Islands_Bridge_Rehab.pdf CHANNEL ISLANDS BLVD EAST (MANDALAY BAY) & CHANNEL ISLANDS BLVD WEST (EDISON CANAL) BRIDGES-Lighting diagram for cofferdams and flexi-floats.

LNM: 06/23 NORTHERN CALIFORNIA-DELTA & RIVERS-AMERICAN RIVER-BRIDGE AmRiv_SiltCurtain_BargeLocation.pdf CAPITAL CITY HWY (ROUTE 51) BRIDGE-See link above for barge and silt curtain locations. LNM: 22/22

NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE

NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE

with navigation lighting plan.

RockAccessPad_Lighting.pdf NEW LAUGHLIN-BULLHEAD CITY BRIDGE-See link above for temporary rock access pad, pier and silt curtian anchor lighting and configuration.

CA ROUTE 4 BRIDGE-See link above for typical barge lighting and location during rehabilitation project.

MokeRiverBridge RehabBargeLights.pdf

see link above.

NORTHERN CALIFORNIA-OFFSHORE CAPE MENDOCINO-SURVEY

CAPE MENDOCINO-SURVEY OPERATIONS.pdf see link above.

ARIZONA/CALIFORNIA-COLORADO RIVER-BRIDGE


I-8_Trestle_Lighting.pdf INTERSTATE 8 BRIDGE (YUMA, AZ)-See link above for temporary trestle lighting.	LNM:	7/23
SOUTHERN CALIFORNIA-SANTA BARBARA-AQUACULTURE ESTABLISHMENT AQUACULTURE ESTABLISHMENT.png see link above.	LNM:	03/23
SOUTHERN CALIFORNIA-PORTS OF LOS ANGELES/LONG BEACH-LA/LB HARBOR-BRIDGE V_Thomas_Platform_Lighting1.pdf See link above for platform lighting for Vincent Thomas Bridge.	LNM:	28/19

THE LOCAL NOTICE TO MARINERS IS AVAILABLE ON THE WORLD WIDE WEB AT HTTPS://WWW.NAVCEN.USCG.GOV

W. J. George, CDR U.S. Coast Guard Chief Waterways Management Branch

Rehabilitation of the Channel Islands Blvd West Bridge (Edison Canal) over Channel Islands Harbor


Flexi-Float and Cofferdam Lighting




The upstream and downstream ends of the temporary cofferdams and each corner of each flexi-float barge shall be lighted at night with steady burning red lights visible at 2,000 yards by approaching vessels. Only one span will be worked on at any one time, leaving the other span available for mariners.


<u>Rehabilitation and Modification Project</u> Capital City (CA Route 51) Bridge, Mile 4.0, American River

Typical Barge Location and Typical Barge Lighting




Each corner of each barge is lighted at night with steady burning all-round red light, visible at 2,000 by approaching vessels. All vessels transiting the project area should use extreme caution. Turbidity curtians will be placed at different locations during the project. The next four diagrams show the proposed location of the curtains.














Four 54 ft wide temporary platforms are installed in the main span below low steel of the bridge, in relation to centerline of the span; two south of the north tower and two north of the south tower, reducing vertical clearance by no more than 14 feet. The upstream and downstream lower edges of the temporary platforms will be lighted at night with steady burning red lights visible at 2,000 yards by approaching vessels.




steady burning red lights to be seen at 2,000 yards by approaching vessels. Each platform reduces vertical clearance by no more than 3 feet.




The upriver and downriver ends of the trestle piles and crossbeams are lighted at night with steady burning red lights. The upriver and downriver low steel of the temporary navigation span, in the center of the river, is lighted at night with steady burning green lights, which identifies the center of the temporary navigation span.






Temporary Navigation Lighting-Crows Landing Bridge Replacement Project - San Joaquin River

The temporary bridge, the replacement bridge and existing bridge will be lighted at night with two red lights marking the temporary navigation channel. The temporary falsework will be lighted, upriver and downriver, with green lights marking the center of the temporary navigation channel. During construction the temporary navigation channel will provide a horizontal clearance of 15 feet and a vertical clearance at Ordinary High Water of 16 feet.




Once installed, the Nevada side silt curtain will be lit at night with steady burning red lights, visible at 2,000 yards by approaching vessels. The Arizona side exposed bridge piers and upstream and downstream ends of the rock access pad will be lit at night with steady burning red lights, visible at 2,000 yards by approaching vessels. There will be approximately 117 feet of horizontal clearance from the face of the silt curtain to the face of the Arizona side pier, in the center of the river.



Rehabilitation CA Route 12 Bridge, Mile 3.0, Mokelumne River

Typical Barge Lighting Diagram



Each corner of each barge is lighted with fixed red lights visible at 2,000 yards by approaching vessels. The barge configuration and bouy locations will change areas throughout the project.



RESEARCH EQUIPMENT IN WATER

Monterey Bay February 2023


SAILDRONE, INC. will operate an Unmanned Surface Vehicle called Saildrone conducting research in the Monterey Bay in the vicinity of position of 36° 42.7'N, 122° 11.2'W

VESSELS ARE REQUESTED TO TRANSIT THE AREA WITH CAUTION, AND REMAIN GREATER THAN 500 METERS AWAY FROM THE RESEARCH EQUIPMENT.

Saildrones are wind powered Unmanned Surface Vehicles that carry important oceanographic and fisheries acoustics research instrumentation and are controlled from shore through satellite communications.

- Color: Orange
- Light: white all-round light
- Radar Reflector: Yes
- Notation: "Saildrone"

- Length: 23 ft & Width: 2 ft
- Height: 16 ft above water line
- Draft: 6 ft, Avg. speed: 3 kts
- GPS / AIS / Cameras: Yes



SAILDRONE MISSION CONTROL (510) 722-6070 <u>missioncontrol@saildrone.com</u>





RESEARCH EQUIPMENT IN WATER


California Waters Jan 23rd, 2023 to Feb 28th, 2023

SAILDRONE, INC. will operate one Uncrewed Surface Vehicle called "SAILDRONE SURVEYOR", for bathymetric research along the Northern California coastline. SAILDRONE SURVEYOR will be conducting survey operations in the area listed below from the time it arrives to the area until February 28th, 2023 periodically returning to Alameda, CA for scheduled maintenance.

Vessels are requested to transit the area with caution, and remain greater than 500 meters away from the research equipment.

Saildrone Surveyor is a primarily wind powered Uncrewed Surface Vehicle also equipped with an inboard engine. Surveyor carries oceanographic and fisheries acoustics research instrumentation and is controlled from shore through satellite communications.

- AIS: "SAILDRONE SURVEYOR"
- MMSI: 338179262
- Color: Orange
- Lights: Tricolor, Running lights/stern light
- Radar Reflecting: Yes







- Length: 22 m
- Width: 1.8 m
- Height: 14 m
- Draft: 3.6 m
- Average speed: 7 knots


SAILDRONE MISSION CONTROL (510) 722-6070 missioncontrol@saildrone.com

Bridge Repairs Interstate 8 Bridge, mile 30.4, Colorado RIver Temporary Trestle/Falsework Lighting



Each channel ward corner of the temporary trestle/falsework is lighted at night with steady burning red lights visible at 1,000 yards by approaching vessels.





A 180 foot long under deck temporary platform will reduce vertical clearance by 5' 4". Each corner and every 50 feet along the the upstream and downstream side of the platform will lighted at night with steady burning red lights visible at 2000 yards by approaching vessels. In a duration of 1-year the platform will progress from the western channel margin light to 250' west of the centerline of the bridge.

U.S. COAST GUARD REPORT OF DELAY AT DRAWBRIDGE PER 33 CFR 117.5

BRIDGE NAME:	DATE:	
MILE :WATERWAY:		
1. Name/ Type of Vessel:	Direction of Travel :	
2. Vessel Owner (Name):		
(Address):		
3. Name of Pilot (if applicable):		
(Address):		
4. Time vessel signaled for bridge openi	ing:	
5. Location of vessel when signal was g	given:	
6. Time and location of vessel when del	lay began:	
	() Radio () Sound () Visual.	
(If sound or visual signal was used, spe	pecify:)	
8. Time bridge operator acknowledged s	signal:	
9. Method of bridge operator acknowled	dgement: () Radio () Sound () Visual	
(If sound or visual signal was used, spe	pecify:)	
 10. Did bridge operator acknowledgeme () Could be opened immediately? () Could not be opened immediate 	?	
11. If land traffic crossed the bridge:		
Time land traffic started across the b	pridge	
	e bridge	
Duration land traffic stopped on the b	bridge	
12. Time drawbridge opened for navigation	ntion	
13. Additional comments:		
I certify the above information is true to t in levying fines against the bridge owner.	the best of my knowledge and understand this statement may be used by the U.S. Coa	ıst Guard
Signature		
Telephone		
Mariners may complete and return to:		
Commander (dpw) Eleventh Coast Guard District Coast Guard Island, Building 50-2 Alameda, CA 94501-5100 Attn: Bridge Office	Fax: (510) 437-5836Email: Carl.T.Hausner@uscg.mil	
Questions? Please contact: Carl Hausner Office: (510) 437-3516 Cell: (510) 219-4366	r, Bridge Administrator, Eleventh Coast Guard District	

Mariners are reminded not to require bridge openings for appurtenances nonessential to navigation, per 33 CFR 117.11