

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week								52/22
No corrections this week								51/22
8251.1	<i>Humboldt Bay Kelp Farm Danger Buoy 1</i>	40-48-37.440N 124-11-12.470W	Fl Y 4s			Regulatory Buoy, White w/ Orange Diamond.	Private Aid.	50/22
*	*	*	*	*	*	*	*	
8251.2	<i>Humboldt Bay Kelp Farm Danger Buoy 2</i>	40-48-38.700N 124-11-11.650W	Fl Y 4s			Regulatory Buoy, White w/ Orange Diamond.	Private Aid.	50/22
*	*	*	*	*	*	*	*	
8251.3	<i>Humboldt Bay Kelp Farm Danger Buoy 3</i>	40-48-36.400N 124-11-10.460W	Fl Y 4s			Regulatory Buoy, White w/ Orange Diamond.	Private Aid.	50/22
*	*	*	*	*	*	*	*	
8251.4	<i>Humboldt Bay Kelp Farm Danger Buoy 4</i>						Remove from list.	50/22
8251.4	<i>Humboldt Bay Kelp Farm Danger Buoy 4</i>	40-48-37.790N 124-11-09.620W	Fl Y 4s			Regulatory Buoy, White w/ Orange Diamond.	Private Aid.	50/22
*	*	*	*	*	*	*	*	
4190	<i>San Francisco Main Ship Channel Lighted Bell Buoy 7</i>	37-46-54.729N 122-35-23.674W	Fl G 2.5s		4	Green.		49/22
8190	<i>Humboldt Bay Lighted Bell Buoy 8</i>	* 40-45-08.016N 124-13-31.110W	Q R		3	Red.		49/22
		*						
No corrections this week								48/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3775	<i>Santa Barbara Harbor Lighted Buoy 7</i>	34-24-29.354N 119-41-12.392W	FI G 6s		4	Green.	Buoy may be frequently relocated due to changing conditions.	47/22
3785	<i>Santa Barbara Harbor Lighted Buoy 11</i>	* 34-24-30.707N 119-41-15.856W	Q G		3	Green.	Buoy may be frequently relocated due to changing conditions.	47/22
*								
No corrections this week								46/22
240 3835	MORRO BAY WEST BREAKWATER LIGHT	35-21-46.296N 120-52-11.417W	FI W 4s	36	9	White column.	Light obscured from 176° to 207°. HORN: (MRASS)1 blast ev 30s (3s bl). The sound signal can be activated by keying VHF- FM Ch.83A 6 times within 10 seconds.	45/22
*								
3835 240	MORRO BAY WEST BREAKWATER LIGHT	35-21-46.296N 120-52-11.417W	FI W 4s	36	9	White column.	Light obscured from 176° to 207°. HORN: (MRASS) 1 blast ev 30s (3s bl). The sound signal can be activated by keying VHF- FM Ch.83A 6 times within 10 seconds.	45/22
*								
4601	<i>Regulated Area Buoy 1</i>	37-48-42.430N 122-21-35.000W	FI W 4s		3		FI W 4s	45/22
*								
* 4602	* <i>Regulated Area Buoy 2</i>	* 37-48-27.000N 122-21-35.000W	* FI W 2.5s	* *	* 3	* *	* FI W 2.5s	* 45/22
*								
No corrections this week								44/22
No corrections this week								43/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
215	NOAA Environmental Lighted Buoy 46011	34-56-10.000N 120-59-53.000W	Fl (4)Y 20s		4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	42/22
240 3835	MORRO BAY WEST BREAKWATER LIGHT	* 35-21-46.296N 120-52-11.417W	Fl W 4s	36	9	White column.	Light obscured from 176° to 207°. HORN: (MRASS)1 blast ev 30s (3s bl).	42/22
3835 240	MORRO BAY WEST BREAKWATER LIGHT	35-21-46.296N 120-52-11.417W	Fl W 4s	36	9	White column.	* Light obscured from 176° to 207°. HORN: (MRASS) 1 blast ev 30s (3s bl).	42/22
No corrections this week								41/22
No corrections this week								40/22
3455	MARINA DEL REY LIGHT 3	33-57-46.114N 118-27-42.512W	Fl G 4s	45	5	SG on post.	Obscured 151° to 331°. HORN: 1 blast ev 30s (2s blast). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.	39/22
No corrections this week								38/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
83	<i>Scripps Waverider Lighted Research Buoy 067</i>	33-13-09.400N 119-52-20.200W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
		*						
158	<i>Scripps Waverider Lighted Research Buoy 092</i>	33-37-04.600N 118-19-00.600W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
		*						
160	<i>Scripps Waverider CDIP Lighted Research Buoy 213</i>	33-34-39.600N 118-10-55.300W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
		*						
201	<i>Scripps Waverider Lighted Research Buoy 071</i>	34-27-05.900N 120-46-47.300W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
		*						
298	<i>NOAA Environmental Lighted Buoy 46114</i>	36-41-11.400N 122-19-55.200W	Fl (5)Y 20s			Yellow sphere with whip antenna. buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	37/22
		*						
381	<i>Scripps Waverider Lighted Research Buoy 029</i>	37-56-25.200N 123-27-54.000W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1720	Navy San Diego Bay Mooring Buoy 19	32-43-16.200N 117-11-24.840W				White with blue band.	Navy Maintained. Private Aid.	37/22
2288	* <i>Scripps Waverider</i> <i>Lighted Research Buoy</i> <i>220</i>	32-45-00.100N 117-29-58.300W	* Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
2289.5	* <i>Scripps Waverider</i> <i>Lighted Research Buoy</i> <i>045</i>	33-10-45.900N 117-28-16.600W	* Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
3336	SCRIPPS WAVERIDER LIGHTED RESEARCH BUOY 028	* 33-51-35.800N 118-38-28.000W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	37/22
4082	<i>UCSD CDIP Wave Buoy</i> <i>254</i>	* 36-56-03.800N 122-02-01.800W	Fl (5)Y 20s				Private Aid.	37/22
2767.1	* <i>Huntington Harbour</i> <i>Channel Buoy 1</i>	33-43-56.340N 118-05-03.540W	Fl G 3s				6' Green Can Buoy. Private Aid.	36/22
2767.2	* <i>Huntington Harbour</i> <i>Channel Buoy 2</i>	33-43-53.880N 118-05-02.820W	Fl R 3s				* 6' Red Nun Buoy. Private Aid.	36/22
2767.3	* <i>Huntington Harbour</i> <i>Channel Buoy 3</i>	* 33-43-56.100N 118-04-58.800W	* Fl G 3s	* *	* *	* *	* 6" Green Can Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2767.4	Huntington Harbour Channel Buoy 4	33-43-53.760N 118-05-01.200W	Fl R 3s				6' Red Nun Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2767.5	Huntington Harbour Channel Buoy 5	33-43-53.580N 118-04-55.500W	Fl G 3s				6' Green Can buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2767.6	Huntington Harbour Channel Buoy 6	33-43-53.160N 118-04-59.640W	Fl R 3s				6' Red Nun Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2768.1	Huntington Harbour Channel Buoy 7	33-43-49.620N 118-04-54.300W	Fl G 3s				6' Green Can Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2768.2	Huntington Harbour Channel Buoy 8	33-43-51.240N 118-04-58.380W	Fl R 3s				6' Red Nun Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2768.3	Huntington Harbour Channel Buoy 9	33-43-45.240N 118-04-52.800W	Fl G 3s				6' Green Can Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2768.4	Huntington Harbour Channel Buoy 10	33-43-49.620N 118-04-58.500W	Fl R 3s				6' Red Nun Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2768.5	Huntington Harbour Channel Buoy 11	33-43-42.000N 118-04-46.680W	Fl G 3s				6' Green Can Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
2768.6	Huntington Harbour Channel Buoy 12	33-43-47.400N 118-04-58.740W	Fl R 3s				6' Red Nun Buoy. Private Aid.	36/22
*	*	*	*	*	*	*	*	
200.5	Platform HERMOSA SAIS	34-27-20.401N 128-38-51.000W					Virtual SAIS on Platform Hermosa. Private Aid.	35/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
202	Platform HARVEST ASTA	34-28-05.998N 120-40-54.001W					Virtual ASTA on Platform Harvest. Private Aid.	35/22
*	*	*	*	*	*	*	*	
203	Platform HARVEST RACON	34-28-05.998N 120-40-54.001W					RACON on Virtual Aid on Platform Harvest. Private Aid.	35/22
*	*	*	*	*	*	*	*	
204	Platform HIDALGO SAIS	34-29-42.601N 120-42-11.998W					Virtual SAIS on Platform Hidalgo. Private Aid.	35/22
*	*	*	*	*	*	*	*	
211	Platform IRENE SAIS	34-36-38.401N 120-43-50.998W					Virtual SAIS on Platform Irene. Private Aid.	35/22
*	*	*	*	*	*	*	*	
181.6	<i>NOAA Environmental Lighted Buoy 46069</i>	33-40-44.259N 120-12-47.530W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	34/22
		*						
196	<i>NOAA Environmental Lighted Buoy 46053</i>	34-14-32.707N 119-50-25.996W	Fl (4)Y 20s			Yellow 3 Meter disc-shaped buoy	Aid maintained by National Oceanic and Atmospheric Administration.	34/22
		*						
215	<i>NOAA Environmental Lighted Buoy 46011</i>	34-56-13.000N 121-00-00.000W	Fl (4)Y 20s		4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	34/22
		*						
215	<i>NOAA Environmental Lighted Buoy 46011</i>	34-56-13.000N 121-00-00.000W	Fl (4)Y 20s		4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	33/22
		*						
3785	<i>Santa Barbara Harbor Lighted Buoy 11</i>	34-24-29.884N 119-41-16.000W	Q G		3	Green.	Buoy may be frequently relocated due to changing conditions.	33/22
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
298	<i>NOAA Environmental Lighted Buoy 46114</i>	36-41-07.656N 122-19-49.548W	Fl (5)Y 20s			Yellow sphere with whip antenna. buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	32/22
*								
No corrections this week								31/22
2810	Anaheim Bay Channel Buoy 7	33-43-46.228N 118-06-01.018W				Green.		30/22
*								
No corrections this week								29/22
No corrections this week								28/22
2815	Anaheim Bay Channel Buoy 8	33-43-43.152N 118-05-54.023W				Red Green Red.		27/22
*								
2767.1	<i>Huntington Harbor Channel Buoy 1</i>	33-43-56.340N 118-05-03.540W	Fl G 3s				Private Aid.	26/22
* * * * *								
No corrections this week								25/22
No corrections this week								24/22
3865	<i>Morro Bay Channel Lighted Buoy 6</i>	35-22-05.735N 120-51-48.464W	Fl R 6s		4	Red.	Buoy may be frequently relocated due to changing conditions.	23/22
*								

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8355	Crescent City Harbor Buoy 1	41-44-13.414N 124-12-49.680W				Green can.		22/22
		*						
235	<i>Point Buchon Lighted Whistle Buoy 16</i>	35-14-28.179N 120-54-30.419W	FI R 6s		4	Red.		21/22
		*						
3775	<i>Santa Barbara Harbor Lighted Buoy 7</i>	34-24-29.327N 119-41-12.585W	FI G 6s		4	Green.	Buoy may be frequently relocated due to changing conditions.	21/22
3780	<i>Santa Barbara Harbor Lighted Buoy 8</i>	34-24-33.009N 119-41-13.067W	FI R 6s		3	Red.	Buoy may be frequently relocated due to changing conditions.	21/22
		*						
3785	<i>Santa Barbara Harbor Lighted Buoy 11</i>	34-24-30.167N 119-41-15.860W	Q G		3	Green.	Buoy may be frequently relocated due to changing conditions.	21/22
		*						
3790	<i>Santa Barbara Harbor Lighted Buoy 10</i>	34-24-32.393N 119-41-16.948W	FI R 4s		3	Red.	Buoy may be frequently relocated due to changing conditions.	21/22
		*						
8365	<i>Crescent City Harbor Lighted Whistle Buoy 4</i>	41-43-34.400N 124-11-19.347W	FI R 4s		4	Red.		21/22
No corrections this week								20/22
No corrections this week								19/22

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
181	NOAA Environmental Lighted Buoy 46025	33-45-19.000N 119-02-42.000W	FI (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
		*						
198.1	NOAA Environmental Lighted Buoy 46054	34-16-26.000N 120-28-05.000W	FI (4)Y 20s			Yellow 3 Meter disc-shaped Buoy	Aid Maintained by National Oceanographic and Atmospheric Administration	18/22
		*						
297	NOAA Environmental Lighted Buoy 46042	36-47-05.000N 122-23-46.000W	FI (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
		*						
390	NOAA Environmental Buoy 46013	38-14-05.000N 123-19-01.000W	FI (4)Y 20s		4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
		*						
510	NOAA Environmental Lighted Buoy 46006	40-45-52.000N 137-22-37.000W	FI (4)Y 20s		4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
		*						
562	NOAA Environmental Lighted Buoy 46027	41-50-24.000N 124-22-54.000W	FI (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/22
		*						
8249.2	Humboldt Bay Aqua Farm Danger Buoy 2	40-48-24.000N 124-11-16.180W	FI Y 4s				Private Aid.	17/22
*	*	*	*	*	*	*	*	
8249.3	Humboldt Bay Aqua Farm Danger Buoy 3	40-48-24.000N 124-11-14.010W	FI Y 4s				Private Aid.	17/22
*	*	*	*	*	*	*	*	
8249.4	Humboldt Bay Aqua Farm Danger Buoy 4	40-48-26.860N 124-11-16.180W	FI Y 4s				Private Aid.	17/22
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5440	BERKELEY BREAKWATER LIGHT 1	37-51-54.810N 122-19-08.634W	Q G	15	4	SG on post.		16/22
		*						
8249.1	<i>Humboldt Bay Aqua Farm Danger Buoy 1</i>	40-48-26.000N 124-11-15.240W	FI Y 4s				Private Aid.	15/22
*	*	*	*	*	*	*	*	
No corrections this week								14/22
2820	ANAHEIM BAY CHANNEL LIGHT 9						Remove from list.	13/22
							*	
2820	ANAHEIM BAY LIGHT 12	33-43-45.246N 118-05-34.494W	FI R 4s	9	3	TR on pile.		13/22
*	*	*	*	*	*	*	*	
2823	ANAHEIM BAY LIGHT 13	33-43-50.106N 118-05-34.032W	FI G 2.5s	9	3	SG on pile.		13/22
*	*	*	*	*	*	*	*	
2825	ANAHEIM BAY CHANNEL LIGHT 10						Remove from list.	13/22
							*	
2826	ANAHEIM BAY CHANNEL LIGHT 11						Remove from list.	13/22
							*	
2827	ANAHEIM BAY CHANNEL LIGHT 13						Remove from list.	13/22
							*	
2827	ANAHEIM BAY LIGHT 14	33-43-53.424N 118-05-19.842W	Q R	9	3	TR on pile.		13/22
*	*	*	*	*	*	*	*	
2829	ANAHEIM BAY CHANNEL LIGHT 17						Remove from list.	13/22
							*	
No corrections this week								12/22
No corrections this week								11/22
No corrections this week								10/22
No corrections this week								09/22
No corrections this week								08/22
28-Dec-22								

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2022 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week								07/22
No corrections this week								06/22
No corrections this week								05/22
No corrections this week								04/22
7955	BODEGA HARBOR CHANNEL LIGHT 36	38-19-52.496N 123-03-07.379W	Q R		3	TR on pile.		03/22
7985	Bodega Harbor Channel Daybeacon 42	* 38-19-48.039N 123-02-52.120W				TR on pile.		03/22
8000	Bodega Harbor Channel Daybeacon 48	* 38-19-34.013N 123-02-34.153W				TR on pile.		03/22
1500	SAN DIEGO BAY ENTRANCE RANGE FRONT LIGHT	* 32-42-17.966N 117-14-00.951W	Q G	25		KRW on white column.	Visible 1.5° each side of the rangeline. HORN: 1blast ev 10s (1s bl). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds. Lighted throughout 24 hours.	02/22
1505	SAN DIEGO BAY ENTRANCE RANGE REAR LIGHT 495 yards, 353.0° from front light.	32-42-32.549N 117-14-03.065W	Iso G 6s	55		KRW on skeleton tower.	* Visible 1.5° each side of the rangeline. Lighted throughout 24 hours.	02/22
								*
No corrections this week								01/22